## Chemistry: The Central Science, 13e (Brown et al.) Chapter 2 Atoms, Molecules, and Ions

## 2.1 Multiple-Choice Questions

1) A molecule of water contains hydrogen and oxygen in a 1:8 ratio by mass. This is a statement of

- A) the law of multiple proportions
- B) the law of constant composition
- C) the law of conservation of mass
- D) the law of conservation of energy
- E) none of the above

Answer: B

Diff: 2 Var: 1 Page Ref: Sec. 2.1

LO: 2.1 GO: G2

- 2) Which one of the following is <u>not</u> one of the postulates of Dalton's atomic theory?
- A) Atoms are composed of protons, neutrons, and electrons.
- B) All atoms of a given element are identical; the atoms of different elements are different and have different properties.
- C) Atoms of an element are not changed into different types of atoms by chemical reactions: atoms are neither created nor destroyed in chemical reactions.
- D) Compounds are formed when atoms of more than one element combine; a given compound always has the same relative number and kind of atoms.
- E) Each element is composed of extremely small particles called atoms.

Answer: A

Diff: 1 Var: 1 Page Ref: Sec. 2.1

LO: 2.1 GO: G2

- 3) Consider the following selected postulates of Dalton's atomic theory:
- (i) Each element is composed of extremely small particles called atoms.
- (ii) Atoms are indivisible.
- (iii) Atoms of a given element are identical.
- (iv) Atoms of different elements are different and have different properties.

Which of the postulates is(are) no longer considered valid?

- A) (i) and (ii)
- B) (ii) only
- C) (ii) and (iii)
- D) (iii) only
- E) (iii) and (iv)

Answer: C

Diff: 2 Var: 1 Page Ref: Sec. 2.1

LO: 2.1 GO: G2 4) Which pair of substances could be used to illustrate the law of multiple proportions? A)  $SO_2$ ,  $H_2SO_4$ B) CO, CO<sub>2</sub> C) H<sub>2</sub>O, O<sub>2</sub> D)  $CH_4$ ,  $C_6H_{12}O_6$ E) NaCl, KCl Answer: B Diff: 1 Var: 1 Page Ref: Sec. 2.1 LO: 2.1 GO: G2 5) Which statement below correctly describes the responses of alpha, beta, and gamma radiation to an electric field? A) Both beta and gamma are deflected in the same direction, while alpha shows no response. B) Both alpha and gamma are deflected in the same direction, while beta shows no response. C) Both alpha and beta are deflected in the same direction, while gamma shows no response. D) Alpha and beta are deflected in opposite directions, while gamma shows no response. E) Only alpha is deflected, while beta and gamma show no response. Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.2 LO: 2.2 GO: G2 6) Which one of the following is <u>not</u> true concerning cathode rays? A) They originate from the negative electrode. B) They travel in straight lines in the absence of electric or magnetic fields. C) They impart a negative charge to metals exposed to them. D) They are made up of electrons. E) The characteristics of cathode rays depend on the material from which they are emitted. Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.2 LO: 2.2 GO: G2 7) The charge on an electron was determined in the \_\_\_\_\_. A) cathode ray tube, by J. J. Thomson B) Rutherford gold foil experiment C) Millikan oil drop experiment D) Dalton atomic theory E) atomic theory of matter

Answer: C Diff: 1 V

LO: 2.2 GO: G2 Var: 1

Page Ref: Sec. 2.2

o)rays consist of fast-moving electrons.
A) Alpha
B) Beta
C) Gamma
D) X
E) none of the above
Answer: B
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2
00. 02
9) The gold foil experiment performed in Rutherford's lab
A) confirmed the plum-pudding model of the atom
B) led to the discovery of the atomic nucleus
C) was the basis for Thomson's model of the atom
D) utilized the deflection of beta particles by gold foil
E) proved the law of multiple proportions
Answer: B
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2
10) In the Rutherford nuclear-atom model,
A) the heavy subatomic particles, protons and neutrons, reside in the nucleus
B) the three principal subatomic particles (protons, neutrons, and electrons) all have essentially the same
mass
C) the light subatomic particles, protons and neutrons, reside in the nucleus
D) mass is spread essentially uniformly throughout the atom
E) the three principal subatomic particles (protons, neutrons, and electrons) all have essentially the same
mass <u>and</u> mass is spread essentially uniformly throughout the atom
Answer: A
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2
GO. G2
11) Cathode rays are
A) neutrons
B) X-rays
C) electrons
D) protons
E) atoms
Answer: C
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2

12) Cathode rays are deflected away from a negatively charged plate because \_\_\_\_\_. A) they are not particles B) they are positively charged particles C) they are neutral particles D) they are negatively charged particles E) they are emitted by all matter Answer: D Var: 1 Diff: 1 Page Ref: Sec. 2.2 LO: 2.2 GO: G2 13) In the absence of magnetic or electric fields, cathode rays \_\_\_\_\_ A) do not exist B) travel in straight lines C) cannot be detected D) become positively charged E) bend toward a light source Answer: B Diff: 1 Var: 1 Page Ref: Sec. 2.2 LO: 2.2 GO: G2 14) Of the three types of radioactivity characterized by Rutherford, which is/are electrically charged? A) β-rays B)  $\alpha$ -rays and  $\beta$ -rays C)  $\alpha$ -rays,  $\beta$ -rays, and  $\gamma$ -rays D)  $\alpha$ -rays E)  $\alpha$ -rays and  $\gamma$ -rays Answer: B Diff: 1 Var: 1 Page Ref: Sec. 2.2 LO: 2.2 GO: G2 15) Of the three types of radioactivity characterized by Rutherford, which is/are not electrically charged? A)  $\alpha$ -rays B)  $\alpha$ -rays,  $\beta$ -rays, and  $\gamma$ -rays C) γ-rays D)  $\alpha$ -rays and  $\beta$ -rays E)  $\alpha$ -rays and  $\gamma$ -rays Answer: C Diff: 1 Var: 1 Page Ref: Sec. 2.2 LO: 2.2

16) Of the three types of radioactivity characterized by Rutherford, which are particles?
A) β-rays
B) $\alpha$ -rays, $\beta$ -rays, and $\gamma$ -rays
C) γ-rays
D) $\alpha$ -rays and $\gamma$ -rays
E) $\alpha$ -rays and $\beta$ -rays
Answer: E
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2
4E) O(d. d ( 1:
17) Of the three types of radioactivity characterized by Rutherford, which type does not become deflected
by a magnetic field?
A) β-rays
B) $\alpha$ -rays and $\beta$ -rays
C) $\alpha$ -rays
D) $\gamma$ -rays
E) α-rays, β-rays, and γ-rays
Answer: D
Diff: 1 Var: 1 Page Ref: Sec. 2.2 LO: 2.2
GO: G2
GO. GZ
18) Of the following, the smallest and lightest subatomic particle is the
A) neutron
B) proton
C) electron
D) nucleus
E) alpha particle
Answer: C
Diff: 1 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
19) All atoms of a given element have the same
A) mass
B) number of protons
C) number of neutrons
D) number of electrons and neutrons
E) density
Answer: B
Diff: 1 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G2

20) Which atom hat A) carbon-14 B) nitrogen-14 C) oxygen-16 D) fluorine-19 E) neon-20 Answer: B	as the smallest number	of neutrons?		
Diff: 2 Var: 1 LO: 2.3 GO: G2	Page Ref: Sec. 2.3			
21) Which atom hat A) phosphorus-30 B) chlorine-37 C) potassium-39 D) argon-40 E) calcium-40 Answer: D	as the largest number of	f neutrons?		
Diff: 2 Var: 1 LO: 2.3 GO: G2	Page Ref: Sec. 2.3			
22) There are	electrons,	_ protons, and	_ neutrons in an atom of	<sup>132</sup> <sub>54</sub> Xe.
A) 132, 132, 54 B) 54, 54, 132 C) 78, 78, 54 D) 54, 54, 78 E) 78, 78, 132 Answer: D				
Diff: 2 Var: 1 LO: 2.3 GO: G2	Page Ref: Sec. 2.3			
23) An atom of the electrons A) 197, 79, 118 B) 118, 79, 39 C) 79, 197, 197 D) 79, 118, 118 E) 79, 118, 79 Answer: E		of gold, <sup>197</sup> Au, has _	protons,	_ neutrons, and
Diff: 2 Var: 1 LO: 2.3 GO: G2	Page Ref: Sec. 2.3			

24) Which combination of protons, neutrons, and electrons is correct for the isotope of copper,  $^{63}_{29}$ Cu

- A) 29 p<sup>+</sup>, 34 n°, 29 e<sup>-</sup>
- B) 29 p<sup>+</sup>, 29 n°, 63 e<sup>-</sup>
- C) 63 p<sup>+</sup>, 29 n°, 63 e<sup>-</sup>
- D) 34 p<sup>+</sup>, 29 n°, 34 e<sup>-</sup>
- E) 34 p<sup>+</sup>, 34 n°, 29 e<sup>-</sup>

Answer: A

- Diff: 2 Var: 1 Page Ref: Sec. 2.3
- LO: 2.3
- GO: G2

25) Which isotope has 45 neutrons?

- A)  $\frac{80}{36}$ Kı
- B)  $\frac{80}{35}$ Br
- C)  $\frac{78}{34}$ Se
- D)  $\frac{34}{17}$ Cl
- E)  $\frac{103}{45}$ Rh

Answer: B

- Diff: 2 Var: 1 Page Ref: Sec. 2.3
- LO: 2.3
- GO: G2

26) Which pair of atoms constitutes a pair of isotopes of the same element?

- A)  $\frac{14}{6}$ X  $\frac{14}{7}$ X
- B)  $\frac{14}{6}$ X  $\frac{12}{6}$ X
- C)  $\frac{17}{9}$ X  $\frac{17}{8}$ X
- D)  $\frac{19}{10}$ X  $\frac{19}{9}$ X
- E)  $\frac{20}{10}$ X  $\frac{21}{11}$ X

Answer: B

- Diff: 1 Var: 1 Page Ref: Sec. 2.3
- LO: 2.3
- GO: G2

27) Which isotope has 36 electrons in an atom?
A) $\frac{80}{36}$ Kr
B) $\frac{80}{35}$ Br
C) $\frac{78}{34}$ Se
D) <sup>34</sup> <sub>17</sub> Cl
E) $\frac{36}{80}$ Hg
Answer: A Diff: 2 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2
28) Isotopes are atoms that have the same but differing  A) atomic masses, charges B) mass numbers, atomic numbers C) atomic numbers, mass numbers D) charges, atomic masses E) mass numbers, charges Answer: C Diff: 1 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2
29) The nucleus of an atom does not contain  A) protons B) protons or neutrons C) neutrons D) subatomic particles E) electrons
Answer: E Diff: 1 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2
30) The subatomic particles located in the nucleus with no overall charges areA) electrons B) protons C) neutrons D) protons and neutrons
E) protons, neutrons, and electrons Answer: C
Diff: 1 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2

31) Different isotopes of a particular element contain the same number of
A) protons
B) neutrons
C) protons and neutrons
D) protons, neutrons, and electrons
E) subatomic particles
Answer: A
Diff: 1 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
22) Different icotopes of a neutrinal an element contain different numbers of
32) Different isotopes of a particular element contain different numbers of  A) protons
B) neutrons
C) protons and neutrons
D) protons, neutrons, and electrons
E) None of the above is correct.
Answer: B
Diff: 1 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
33) In the symbol shown below, $x = $
14
x C
A) 7
B) 13
C) 12
D) 6
E) not enough information to determine
Answer: D
Diff: 2 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
34) In the symbol below, $X = \underline{}$ .
$\frac{13}{\chi}$
6 X
A) N
B) C
C) Al

D) K

E) not enough information to determine

Answer: B

Diff: 2 Var: 1 Page Ref: Sec. 2.3

LO: 2.3

35) In the symbol below,  $x = \underline{\hspace{1cm}}$ . A) 17 B) 8 C) 6 D) 7 E) not enough information to determine Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2 36) In the symbol below, x is \_\_\_\_\_.  $\frac{x}{6}C$ A) the number of neutrons B) the atomic number C) the mass number D) the isotope number E) the elemental symbol Answer: C Diff: 1 Var: 1 Page Ref: Sec. 2.3 LO: 2.3 GO: G2 37) Which one of the following basic forces is so small that it has no chemical significance? A) weak nuclear force B) strong nuclear force C) electromagnetism D) gravity E) Coulomb's law Answer: D Diff: 2 Page Ref: Sec. 2.3 Var: 1 LO: 2.3 GO: G2 38) Gravitational forces act between objects in proportion to their \_\_\_\_\_. A) volumes B) masses C) charges D) polarizability E) densities Answer: B Diff: 1 Page Ref: Sec. 2.3 Var: 1 LO: 2.3

39) Silver has two naturally occurring isotopes with the following isotopic masses:

The average atomic mass of silver is 107.8682 amu. The fractional abundance of the lighter of the two isotopes is \_\_\_\_\_.

- A) 0.24221
- B) 0.48168
- C) 0.51835
- D) 0.75783
- E) 0.90474

Answer: C

Diff: 4 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

- 40) The atomic mass unit is presently based on assigning an exact integral mass (in amu) to an isotope of
- A) hydrogen
- B) oxygen
- C) sodium
- D) carbon
- E) helium

Answer: D

Diff: 1 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

41) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
221χ	74.22	220.9
$220\chi$	12.78	220.0
$218\chi$	13.00	218.1

- A) 219.7
- B) 220.4
- C) 220.42
- D) 218.5
- E) 221.0

Answer: B

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4 42) Element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
38χ	5.07	37.919
$39\chi$	15.35	39.017
$42\chi$	79.85	42.111

- A) 41.54
- B) 39.68
- C) 39.07
- D) 38.64
- E) 33.33

Answer: A

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

43) The element X has three naturally occurring isotopes. The isotopic masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
159χ	30.60	159.37
$163\chi$	15.79	162.79
$164\chi$	53.61	163.92

- A) 161.75
- B) 162.03
- C) 162.35
- D) 163.15
- E) 33.33
- Answer: C

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4 44) The element X has three naturally occurring isotopes. The isotopic masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
53χ	19.61	52.62
56χ	53.91	56.29
58χ	26.48	58.31

- A) 33.33
- B) 55.74
- C) 56.11
- D) 57.23
- E) 56.29
- Ánswer: C

D:(( ) V 1

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

45) The element X has two naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance (%)	Mass (amu)
31X	35.16	31.16
$34\chi$	64.84	34.30

- A) 30.20
- B) 33.20
- C) 34.02
- D) 35.22
- E) 32.73

Answer: B

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

- 46) The average atomic weight of copper, which has two naturally occurring isotopes, is 63.5. One of the isotopes has an atomic weight of 62.9 amu and constitutes 69.1% of the copper isotopes. The other isotope has an abundance of 30.9%. The atomic weight (amu) of the second isotope is \_\_\_\_\_ amu.
- A) 63.2
- B) 63.8
- C) 64.1
- D) 64.8
- E) 28.1

Answer: D

Diff: 4 Var: 1 Page Ref: Sec. 2.4

LO: 2.4

47) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance (%)	Mass (amu)
15χ	28.60	15.33
$17\chi$	13.30	17.26
16X	58.10	18.11

- A) 17.20
- B) 16.90
- C) 17.65
- D) 17.11
- E) 16.90
- Answer: A

Diff: 3 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

48) Vanadium has two naturally occurring isotopes, 50V with an atomic mass of 49.9472 amu and 51V with an atomic mass of 50.9440. The atomic weight of vanadium is 50.9415. The percent abundances of the vanadium isotopes are \_\_\_\_\_\_% 50V and \_\_\_\_\_\_% 51V.

- A) 0.25, 99.75
- B) 99.75, 0.25
- C) 49, 51
- D) 1.0, 99
- E) 99, 1.0

Answer: A

Diff: 4 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

49) An unknown element is found to have three naturally occurring isotopes with atomic masses of 35.9675 (0.337%), 37.9627 (0.063%), and 39.9624 (99.600%). Which of the following is the unknown element?

- A) Ar
- B) K
- C) Cl
- D) Ca

E) None of the above could be the unknown element.

Answer: A

Diff: 2 Var: 1 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

A) alphabetical or B) order of increase C) order of increase D) order of increase E) reverse alphabet Answer: B Diff: 1 Var: 1	sing atomic number sing metallic properties sing neutron content
LO: 2.5 GO: G2	
A) with similar ch B) with similar ato	omic masses
D) on opposite sid	riod of the periodic table les of the periodic table up of the periodic table
Diff: 1 Var: 1 LO: 2.5 GO: G2	Page Ref: Sec. 2.5
chemical propertion A) H, Li B) Cs, Ba C) Ca, Sr D) Ga, Ge E) C, O Answer: C	
Diff: 1 Var: 1 LO: 2.5 GO: G2	Page Ref: Sec. 2.5
chemical propertic A) O, S B) C, N C) K, Ca D) H, He E) Si, P	elements would you expect to exhibit the greatest similarity in their physical and es?
Answer: A Diff: 1 Var: 1 LO: 2.5 GO: G2	Page Ref: Sec. 2.5

chemical properties? A) As, Br B) Mg, Al C) I, At D) Br, Kr E) N,O Answer: C Diff: 1 Var: 1 Page LO: 2.5 GO: G2	Ref: Sec. 2.5
55) The elements in group A) alkaline earth metals, B) alkali metals, chalcogroup C) alkali metals, halogen D) alkaline earth metals, E) halogens, transition manswer: B	transition metals, and halogens
A) C and O B) B and As C) I and Br D) K and Kr E) Cs and He Answer: C	nts below should be the most similar in chemical properties?  Ref: Sec. 2.5
A) is either a metal or metal	r a nonmetal tal

- 58) An element that appears in the lower left corner of the periodic table is \_\_\_\_\_\_. A) either a metal or metalloid
- B) definitely a metal
- C) either a metalloid or a nonmetal
- D) definitely a nonmetal
- E) definitely a metalloid

Answer: B

Diff: 1 Var: 1 Page Ref: Sec. 2.5

LO: 2.5 GO: G2

- 59) Elements in the same group of the periodic table typically have \_\_\_\_\_.
- A) similar mass numbers
- B) similar physical properties only
- C) similar chemical properties only
- D) similar atomic masses
- E) similar physical and chemical properties

Answer: E

Diff: 1 Var: 1 Page Ref: Sec. 2.5

LO: 2.5 GO: G2

- 60) Which one of the following molecular formulas is also an empirical formula?
- A)  $C_6H_6O_2$
- B) C<sub>2</sub>H<sub>6</sub>SO
- C) H<sub>2</sub>O<sub>2</sub>
- D)  $H_2P_4O_6$
- E)  $C_6H_6$

Answer: B

Diff: 2 Page Ref: Sec. 2.6 Var: 1

LO: 2.6

GO: G2

- 61) Which compounds do not have the same empirical formula?
- A)  $C_2H_2$ ,  $C_6H_6$
- B) CO, CO<sub>2</sub>
- C)  $C_2H_4$ ,  $C_3H_6$
- D) C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>, C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>
- E) C<sub>2</sub>H<sub>5</sub>COOCH<sub>3</sub>, CH<sub>3</sub>CHO

Answer: B

Diff: 2 Var: 1 Page Ref: Sec. 2.6

LO: 2.6

66) The molecular formula of a compound is always the empirical formula.  A) more complex than  B) different from  C) an integral multiple of  D) the same as  E) simpler than  Answer: C  Diff: 1 Var: 1 Page Ref: Sec. 2.6  LO: 2.6  GO: G2
67) Formulas that show how atoms are attached in a molecule are called  A) molecular formulas  B) ionic formulas  C) empirical formulas  D) diatomic formulas  E) structural formulas  Answer: E  Diff: 1 Var: 1 Page Ref: Sec. 2.6  LO: 2.6  GO: G2
68) Of the following, contains the greatest number of electrons.  A) P <sup>3+</sup> B) P C) P <sup>2-</sup> D) P <sup>3-</sup> E) P <sup>2+</sup> Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.7 LO: 2.7 GO: G2

- 69) Which species has 54 electrons?
- A)  $\frac{132}{54}$  Xe<sup>+</sup>
- B)  $\frac{128}{52}$  Te<sup>2</sup>-
- C)  $\frac{118}{50}$  Sn<sup>2+</sup>
- D)  $\frac{112}{48}$ Cd
- E)  $\frac{132}{54}$  Xe<sup>2+</sup>

Answer: B

- Diff: 2 Var: 1 Page Ref: Sec. 2.7
- LO: 2.7
- GO: G2
- 70) Which species has 16 protons?
- A) <sup>31</sup>P
- B) 34S2-
- C) <sup>36</sup>Cl
- D) 80Br-
- E) <sup>16</sup>O
- Answer: B
- Diff: 2 Var: 1 Page Ref: Sec. 2.7
- LO: 2.7
- GO: G2
- 71) Which species has 18 electrons?
- A)  $^{39}$ K
- B) 32S2-
- C) <sup>35</sup>Cl
- D) 27A13+
- E) 64Cu<sup>2+</sup>
- Answer: B
- Diff: 2 Var: 1 Page Ref: Sec 2.7
- LO: 2.7
- GO: G2

72) The species	contains 16 neutrons.
A) <sup>31</sup> P	
B) 34 <sub>S</sub> 2-	
C) <sup>36</sup> Cl	
D) <sup>80</sup> Br	
E) <sup>16</sup> O	
Answer: A	
	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	
	20
_	is an isotope of <sup>39</sup> Cl?
A) $^{40}$ Ar <sup>+</sup>	
B) <sup>34</sup> S <sup>2</sup> -	
C) <sup>36</sup> Cl-	
D) <sup>80</sup> Br	
E) <sup>39</sup> Ar	
Answer: C	
Diff: 1 Var: 1	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	
74) Which one of t	the following species has as many electrons as it has neutrons?
A) <sup>1</sup> H	are rome in a g op cones rule as many electronic as it rule recursions.
B) <sup>40</sup> Ca <sup>2+</sup>	
•	
C) <sup>14</sup> C	
D) <sup>19</sup> F-	
E) <sup>14</sup> C <sup>2+</sup>	
Answer: D	D D ( C 27
LO: 2.7	Page Ref: Sec. 2.7
GO: G2	
GO. G2	
75) There are	protons, neutrons, and electrons in <sup>131</sup> I-
A) 131, 53, 54	
B) 131, 53, 52	
C) 53, 78, 54	
D) 53, 131, 52	
E) 78, 53, 72 Answer: C	
	Page Ref: Sec. 2.7
LO: 2.7	1000 1010 000. 20
GO: G2	

```
76) There are _____ protons, ____ neutrons, and _____ electrons in ^{238}U^{+5}.
A) 146, 92, 92
```

- B) 92, 146, 87
- C) 92, 146, 92
- D) 92, 92, 87
- E) 146, 92, 146

Answer: B

Diff: 2 Var: 1 Page Ref: Sec. 2.7

LO: 2.7

GO: G2

- 77) Which species has 48 electrons?
- A)  $\frac{118}{50}$  Sn<sup>+2</sup>
- B)  $\frac{116}{50}$  Sn<sup>+4</sup>
- C)  $\frac{112}{48}$  Cd<sup>+2</sup>
- D)  $\frac{68}{31}$ Ga
- E)  $\frac{48}{22}$ Ti

Answer: A

Diff: 1 Var: 1 Page Ref: Sec. 2.7

LO: 2.7

GO: G2

- 78) Which of the following compounds would you expect to be ionic?
- A) H<sub>2</sub>O
- B) CO<sub>2</sub>
- C) SrCl<sub>2</sub>
- D) SO<sub>2</sub>
- E) H<sub>2</sub>S

Answer: C

Diff: 1 Var: 1 Page Ref: Sec. 2.7

LO: 2.6

79) Which pair of elements is most apt to form an ionic compound with each other? A) barium, bromine B) calcium, sodium C) oxygen, fluorine D) sulfur, fluorine E) nitrogen, hydrogen Answer: A Var: 1 Diff: 1 Page Ref: Sec. 2.7 LO: 2.7 GO: G2 80) Which pair of elements is most apt to form a molecular compound with each other? A) aluminum, oxygen B) magnesium, iodine C) sulfur, fluorine D) potassium, lithium E) barium, bromine Answer: C Diff: 1 Var: 1 Page Ref: Sec. 2.7 LO: 2.7 GO: G2 81) Which species below is the nitride ion? A) Na<sup>+</sup> B) NO<sub>3</sub>-C)  $NO_2^-$ D)  $NH_4^+$ E) N<sup>3</sup>-Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2 82) Barium reacts with a polyatomic ion to form a compound with the general formula Ba3(X)2. What would be the most likely formula for the compound formed between sodium and the polyatomic ion X? A) NaX B) Na<sub>2</sub>X C) Na<sub>2</sub>X<sub>2</sub> D) Na<sub>3</sub>X E) Na<sub>3</sub>X<sub>2</sub> Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8

LO: 2.8 GO: G2

Al <sub>2</sub> X <sub>3</sub> . Element A) 3A B) 4A C) 5A D) 6A	reacts with a certain nonmetallic element to form a compound with the general formula X must be from Group of the Periodic Table of Elements.
E) 7A Answer: D	
Diff: 2 Var: 1 LO: 2.8 GO: G2	Page Ref: Sec. 2.8
84) The formula A) Ag B) Pd C) Cd D) Cu E) Cs Answer: A	for a salt is XBr. The X-ion in this salt has 46 electrons. The metal X is
Diff: 2 Var: 1 LO: 2.8 GO: G2	Page Ref: Sec. 2.8
85) Which form A) Mn(NO <sub>2</sub> ) <sub>2</sub>	ula/name pair is <u>incorrect</u> ? manganese(II) nitrite
B) $Mg(NO_3)_2$	magnesium nitrate
C) $Mn(NO_3)_2$	manganese(II) nitrate
D) Mg <sub>3</sub> N <sub>2</sub>	magnesium nitrite
E) Mg(MnO <sub>4</sub> ) <sub>2</sub> Answer: D	magnesium permanganate
Diff: 2 Var: 1 LO: 2.8 GO: G2	Page Ref: Sec. 2.8
86) Which form	ula/name pair is <u>incorrect</u> ?
A) $FeSO_4$	iron(II) sulfate
B) $Fe_2(SO_3)_3$	iron(III) sulfite
C) FeS D) FeSO <sub>3</sub>	iron(II) sulfide iron(II) sulfite
E) Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	iron(III) sulfide
Answer: E Diff: 2 Var: 1 LO: 2.8 GO: G2	Page Ref: Sec. 2.8

```
87) Which one of the following is the formula of hydrochloric acid?
A) HClO<sub>3</sub>
B) HClO<sub>4</sub>
C) HClO
D) HCl
E) HClO<sub>2</sub>
Answer: D
Diff: 2
          Var: 1
                      Page Ref: Sec. 2.8
LO: 2.8
GO: G2
88) The suffix -ide is used primarily _____.
A) for monatomic anion names
B) for polyatomic cation names
C) for the name of the first element in a molecular compound
D) to indicate binary acids
E) for monoatomic cations
Answer: A
Diff: 2
          Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
89) Which one of the following compounds is chromium(III) oxide?
A) Cr<sub>2</sub>O<sub>3</sub>
B) CrO<sub>3</sub>
C) Cr<sub>3</sub>O<sub>2</sub>
D) Cr<sub>3</sub>O
E) Cr<sub>2</sub>O<sub>4</sub>
Answer: A
Diff: 1
         Var: 1
                     Page Ref: Sec. 2.8
LO: 2.8
GO: G2
90) Which one of the following compounds is copper(I) chloride?
A) CuCl
B) CuCl<sub>2</sub>
C) Cu<sub>2</sub>Cl
D) Cu<sub>2</sub>Cl<sub>3</sub>
E) Cu<sub>3</sub>Cl<sub>2</sub>
Answer: A
Diff: 1
          Var: 1
                      Page Ref: Sec. 2.8
LO: 2.8
GO: G2
```

91) The correct name for MgF <sub>2</sub> is
A) monomagnesium difluoride
B) magnesium difluoride
C) manganese difluoride
D) manganese bifluoride
E) magnesium fluoride
Answer: E
Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
92) The correct name for NaHCO <sub>3</sub> is
A) sodium hydride
B) persodium carbonate
C) persodium hydroxide
D) sodium bicarbonate
•
E) carbonic acid
Answer: D
Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
02) A convect name for Eq(NO2)2 is
93) A correct name for Fe(NO <sub>3</sub> ) <sub>2</sub> is
A) iron nitrite
B) ferrous nitrite
C) ferrous nitrate
D) ferric nitrite
E) ferric nitrate
Answer: C
Diff: 3 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
04) The correct name for HNO2 is
94) The correct name for HNO <sub>2</sub> is
A) nitrous acid
B) nitric acid
C) hydrogen nitrate
D) hyponitrous acid
E) pernitric acid
E) pernitric acid Answer: A
E) pernitric acid Answer: A Diff: 3 Var: 1 Page Ref: Sec. 2.8
E) pernitric acid Answer: A

95) The proper for	mula for the hydronium ion is
A) H-	
B) OH-	
C) N <sup>3</sup> -	
D) H <sub>3</sub> O <sup>+</sup>	
E) NH <sub>4</sub> +	
Answer: D	
Diff: 2 Var: 1	Page Ref: Sec. 2.8
LO: 2.8	
GO: G2	
96) The charge on	the ion is -3.
A) sulfate	101115 5.
B) acetate	
C) permanganate	
D) oxide	
E) nitride	
Answer: E	
Diff: 2 Var: 1	Page Ref: Sec. 2.8
LO: 2.7	
GO: G2	
97) Which one of t	he following polyatomic ions has the same charge as the hydroxide ion?
A) ammonium	grayes as a second grayes years
B) carbonate	
C) nitrate	
D) sulfate	
E) phosphate	
Answer: C	D D ( C 20
	Page Ref: Sec. 2.8
LO: 2.8 GO: G2	
GG. G <b>2</b>	
	t forms an ion with the same charge as the ammonium ion?
A) potassium	
B) chlorine	
C) calcium	
D) oxygen	
E) nitrogen Answer: A	
Diff: 2 Var: 1	Page Ref: Sec. 2.8
LO: 2.8	
GO: G2	

99) The formula for the compound formed between aluminum ions and phosphate ions is
A) Al <sub>3</sub> (PO <sub>4</sub> ) <sub>3</sub>
B) AlPO <sub>4</sub>
C) $Al(PO_4)_3$
D) Al <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub>
E) AlP
Answer: B
Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
100) Which metal does <u>not</u> form cations of differing charges?
A) Na
B) Cu
C) Co
D) Fe
E) Sn Answer: A
Diff: 1 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
101) Which metal forms cations of differing charges?
A) K
B) Cs
C) Ba
D) Al
E) Sn
Answer: E Diff: 1 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
102) The correct name for $Ni(CN)_2$ is
A) nickel (I) cyanide
B) nickel cyanate
C) nickel carbonate
D) nickel (II) cyanide
E) nickel (I) nitride
Answer: D
Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8
GO: G2

A) CH <sub>4</sub> O
B) C <sub>2</sub> H <sub>6</sub> O
C) C <sub>3</sub> H <sub>8</sub> O
D) C <sub>4</sub> H <sub>10</sub> O
E) C <sub>5</sub> H <sub>12</sub> O
Answer: C
Diff: 3 Var: 1 Page Ref: Sec. 2.9
LO: 2.9
GO: G2
2.2 Bimodal Questions
1) Methane and ethane are both made up of carbon and hydrogen. In methane, there are 12.0 g of carbon
for every 4.00 g of hydrogen, a ratio of 3:1 by mass. In ethane, there are 24.0 g of carbon for every 6.00 g of
hydrogen, a ratio of 4:1 by mass. This is an illustration of the law of
A) constant composition
B) multiple proportions
C) conservation of matter
D) conservation of mass
E) octaves
Answer: B
Diff: 2 Var: 1 Page Ref: Sec. 2.1 LO: 2.1
GO: G2
2) and reside in the atomic nucleus.
A) Protons, electrons  P) Electrons mouthons
B) Electrons, neutrons C) Protons, neutrons
D) Neutrons, only neutrons
E) none of the above
Answer: C
Diff: 1 Var: 1 Page Ref: Sec. 2.2
LO: 2.2
GO: G2
3) 200 pm is the same as Å.
A) 2000
B) 20
C) 200
D) 2
E) 0.0002
Answer: D
Diff: 1 Var: 1 Page Ref: Sec. 2.3
LO: 2.3
GO: G4

103) What is the molecular formula for 1-propanol?

4) The atomic number indicates	
A) the number of neutrons in a nucleus	
B) the total number of neutrons and protons in a nucleus	
C) the number of protons or electrons in a neutral atom	
D) the number of atoms in 1 g of an element	
E) the number of different isotopes of an element	
Answer: C	
Diff: 1 Var: 1 Page Ref: Sec. 2.3	
LO: 2.3	
GO: G2	
5) The nucleus of an atom contains	
A) electrons	
B) protons, neutrons, and electrons	
C) protons and neutrons	
D) protons and electrons	
E) protons	
Answer: C	
Diff: 1 Var: 1 Page Ref: Sec. 2.3	
LO: 2.3	
GO: G2	
6) In the periodic table, the elements touching the steplike line are known as	
A) transition elements	
B) noble gases	
C) metalloids	
D) nonmetals	
E) metals	
Answer: C	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	
7) Which group in the periodic table contains only nonmetals?	
A) 1A	
B) 6A	
C) 2B	
D) 2A	
E) 8A	
Answer: E	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	

8) Horizontal rows of the periodic table are known as A) periods B) groups C) metalloids D) metals E) nonmetals Answer: A Diff: 1 Var: 1 Page Ref: Sec. 2.5 LO: 2.5 GO: G2
9) Vertical columns of the periodic table are known asA) metals B) periods C) nonmetals D) groups E) metalloids Answer: D Diff: 1 Var: 1 Page Ref: Sec. 2.5 LO: 2.5 GO: G2
10) Elements in Group 1A are known as the  A) chalcogens B) alkaline earth metals C) alkali metals D) halogens E) noble gases Answer: C Diff: 1 Var: 1 Page Ref: Sec. 2.5 LO: 2.5 GO: G2
11) Elements in Group 2A are known as the  A) alkaline earth metals B) alkali metals C) chalcogens D) halogens E) noble gases Answer: A Diff: 1 Var: 1 Page Ref: Sec. 2.5 LO: 2.5 GO: G2

12) Elements in Group 6A are known as the	
A) alkali metals	
B) chalcogens	
C) alkaline earth metals	
D) halogens	
E) noble gases	
Answer: B	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	
13) Elements in Group 7A are known as the	
A) chalcogens	
B) alkali metals	
C) alkaline earth metals	
D) halogens	
E) noble gases	
Answer: D	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	
14) Elements in Group 8A are known as the	
A) halogens	
B) alkali metals	
C) alkaline earth metals	
D) chalcogens	
E) noble gases	
Answer: E	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	
45/5	
15) Potassium is a and chlorine is a	
A) metal, nonmetal	
B) metal, metal	
C) metal, metalloid	
D) metalloid, nonmetal	
E) nonmetal, metal	
Answer: A	
Diff: 1 Var: 1 Page Ref: Sec. 2.5	
LO: 2.5	
GO: G2	

16) Lithium is a and magnesium is a
A) nonmetal, metal
B) nonmetal, nonmetal
C) metal, metal
D) metal, metalloid
E) metalloid, metalloid
Answer: C
Diff: 1 Var: 1 Page Ref: Sec. 2.5
LO: 2.5
GO: G2
17) Oxygen is a and nitrogen is a
A) metal, metalloid
B) nonmetal, metal
C) metalloid, metalloid
D) nonmetal, nonmetal
E) nonmetal, metalloid
Answer: D
Diff: 1 Var: 1 Page Ref: Sec. 2.5
LO: 2.5
GO: G2
18) Calcium is a and silver is a
A) nonmetal, metal
B) metal, metal
C) metalloid, metal
D) metal, metalloid
E) nonmetal, metalloid
Answer: B
Diff: 1 Var: 1 Page Ref: Sec. 2.5
LO: 2.5
GO: G2
19) are found uncombined, as monatomic species in nature.
A) Noble gases
B) Chalcogens
C) Alkali metals
D) Alkaline earth metals
E) Halogens
Answer: A
Diff: 1 Var: 1 Page Ref: Sec. 2.6
LO: 2.6
GO: G2

			_
	tal and a nonmetal react, the	_ tends to lose electrons and the	tends to
gain electrons.			
A) metal, metal			
B) nonmetal, no			
C) metal, nonm			
D) nonmetal, m	above; these elements share electrons	c	
Answer: C	above, these elements share electrons	5.	
	Page Ref: Sec. 2.6		
LO: 2.6	Tage Ref. Sec. 2.0		
GO: G2			
-	cal formula of a compound with mole	ecules containing 12 carbon atoms, 14 h	ydrogen
A) C <sub>12</sub> H <sub>14</sub> O <sub>6</sub>			
B) CHO			
C) CH <sub>2</sub> O			
D) C <sub>6</sub> H <sub>7</sub> O <sub>3</sub>			
E) C <sub>2</sub> H <sub>4</sub> O			
Answer: D			
	Page Ref: Sec. 2.6		
LO: 2.6	1 age Ref. Sec. 2.0		
GO: G2			
GC. G2			
22) ty	pically form ions with a 2+ charge.		
A) Alkaline ear			
B) Halogens			
C) Chalcogens			
D) Alkali metal	s		
E) Transition m	etals		
Answer: A			
	Page Ref: Sec. 2.7		
LO: 2.7			
GO: G2			
23) What is the	formula of the compound formed be	etween strontium ions and nitrogen ions	s?
A) SrN	r		
B) Sr <sub>3</sub> N <sub>2</sub>			
C) $Sr_2N_3$			
D) SrN <sub>2</sub>			
E) SrN <sub>3</sub>			
Answer: B			
Diff: 3 Var: 1	Page Ref: Sec. 2.7		
LO: 2.7	0		
GO: G2			

	eacts with a certain element to form a compound with the general formula MgX. Wha kely formula be for the compound formed between potassium and element X?
B) KX <sub>2</sub>	
C) K <sub>2</sub> X <sub>3</sub>	
D) K <sub>2</sub> X <sub>2</sub>	
E) KX	
Answer: A	
Diff: 2 Var: 1	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	
25) The charge on	the manganese in the salt MnF <sub>3</sub> is
A) 1+	
B) 1-	
C) 2+ D) 2-	
E) 3+	
Answer: E	
Diff: 2 Var: 1	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	
	acts with a certain nonmetallic element to form a compound with the general formula is a diatomic gas at room temperature. Element X must be
Diff: 2 Var: 1	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	
	an ion with a charge of
A) 1+	
B) 1- C) 2+	
D) 2-	
E) 0	
Answer: A	
Diff: 1 Var: 1	Page Ref: Sec. 2.7
LO: 2.7	
GO: G2	

	sium forn	ns an ion with a charge of $_{}$ .
A) 2+		_
B) 1-		
C) 1+		
D) 2-		
E) 0		
Answer:	C	
Diff: 1	Var: 1	Page Ref: Sec. 2.7
LO: 2.7		
GO: G2		
20) C-1-:		and an artificial form of
	um forms	an ion with a charge of
A) 1-		
B) 2-		
C) 1+		
D) 2+		
E) 0	Б	
Answer:		D D ( C ) 27
	Var: I	Page Ref: Sec. 2.7
LO: 2.7		
GO: G2		
30) Bariu	m forms	an ion with a charge of
A) 1+		
B) 2-		
B) 2- C) 3+		
-		
C) 3+		
C) 3+ D) 3-	E	
C) 3+ D) 3- E) 2+ Answer:		Page Ref: Sec. 2.7
C) 3+ D) 3- E) 2+ Answer:		Page Ref: Sec. 2.7
C) 3+ D) 3- E) 2+ Answer: Diff: 1		Page Ref: Sec. 2.7
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2	Var: 1	Page Ref: Sec. 2.7  ms an ion with a charge of
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3-	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3- C) 1+	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3- C) 1+ D) 3+	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3- C) 1+	Var: 1	
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3- C) 1+ D) 3+ E) 1- Answer:	Var: 1 ninum for	ms an ion with a charge of
C) 3+ D) 3- E) 2+ Answer: Diff: 1 LO: 2.7 GO: G2 31) Alum A) 2+ B) 3- C) 1+ D) 3+ E) 1- Answer:	Var: 1 ninum for	

32) Fluor	ine forms	an ion with a charge of
A) 1-		
B) 1+		
C) 2+		
D) 3+		
E) 3-		
Answer:	A	
Diff: 1	Var: 1	Page Ref: Sec. 2.7
LO: 2.7		
GO: G2		
33) Iodin	e forms a	n ion with a charge of $_{}$ .
A) 7-		
B) 1+		
C) 2-		
D) 2+		
E) 1-		
Answer:	E	
Diff: 1	Var: 1	Page Ref: Sec. 2.7
LO: 2.7		
GO: G2		
24)		
	en forms	an ion with a charge of
A) 2-	en forms	an ion with a charge of
A) 2- B) 2+	en forms	an ion with a charge of
A) 2- B) 2+ C) 3-	en forms	an ion with a charge of
A) 2- B) 2+ C) 3- D) 3+	en forms	an ion with a charge of
A) 2- B) 2+ C) 3- D) 3+ E) 6+		an ion with a charge of
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer:	A	
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1	A	an ion with a charge of Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7	A	
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1	A	
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2	A Var: 1	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2	A Var: 1	
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+	A Var: 1	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2-	A Var: 1	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2- C) 3+	A Var: 1	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2- C) 3+ D) 6-	A Var: 1	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2- C) 3+ D) 6- E) 6+	A Var: 1 r forms a	Page Ref: Sec. 2.7
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2- C) 3+ D) 6- E) 6+ Answer:	A Var: 1 r forms an	Page Ref: Sec. 2.7  n ion with a charge of
A) 2- B) 2+ C) 3- D) 3+ E) 6+ Answer: Diff: 1 LO: 2.7 GO: G2 35) Sulfu A) 2+ B) 2- C) 3+ D) 6- E) 6+ Answer:	A Var: 1 r forms an	Page Ref: Sec. 2.7

A) NaF B) Na <sub>2</sub> F C) NaF <sub>2</sub> D) Na <sub>2</sub> F <sub>3</sub> E) Na <sub>3</sub> F <sub>2</sub>	npirical formula of the ionic compound that forms from sodium and fluorine.
Answer: A Diff: 2 Var: 1 LO: 2.7 GO: G2	Page Ref: Sec. 2.7
37) Predict the end A) Mg <sub>2</sub> F <sub>3</sub> B) MgF C) Mg <sub>2</sub> F D) Mg <sub>3</sub> F <sub>2</sub> E) MgF <sub>2</sub> Answer: E	npirical formula of the ionic compound that forms from magnesium and fluorine
Diff: 1 Var: 1 LO: 2.7 GO: G2	Page Ref: Sec. 2.7
38) Predict the end A) Mg <sub>2</sub> O B) MgO C) MgO <sub>2</sub> D) Mg <sub>2</sub> O <sub>2</sub> E) Mg <sub>3</sub> O <sub>2</sub> Answer: B	npirical formula of the ionic compound that forms from magnesium and oxygen.
Diff: 1 Var: 1 LO: 2.7 GO: G2	Page Ref: Sec. 2.7
39) Predict the end A) AlO B) Al <sub>3</sub> O <sub>2</sub> C) Al <sub>2</sub> O <sub>3</sub> D) AlO <sub>2</sub> E) Al <sub>2</sub> O Answer: C	npirical formula of the ionic compound that forms from aluminum and oxygen.
Diff: 1 Var: 1 LO: 2.7 GO: G2	Page Ref: Sec. 2.7

40) The correct name for $K_2S$ is
A) potassium sulfate B) potassium disulfide C) potassium bisulfide D) potassium sulfide E) dipotassium sulfate Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
41) The correct name for Al <sub>2</sub> O <sub>3</sub> is
A) aluminum oxide B) dialuminum oxide C) dialuminum trioxide D) aluminum hydroxide E) aluminum trioxide Answer: A Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
42) The correct name for CaH <sub>2</sub> is
A) hydrocalcium B) calcium dihydride C) calcium hydroxide D) calcium dihydroxide E) calcium hydride Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
43) The correct name for SO is A) sulfur oxide B) sulfur monoxide C) sulfoxide D) sulfate E) sulfite Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2

44) The correct name for $CCl_4$ is
A) carbon chloride B) carbon tetrachlorate C) carbon perchlorate D) carbon tetrachloride E) carbon chlorate Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
45) The correct name for N <sub>2</sub> O <sub>5</sub> is
A) nitrous oxide B) nitrogen pentoxide C) dinitrogen pentoxide D) nitric oxide E) nitrogen oxide Answer: C Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
46) The correct name for H <sub>2</sub> CO <sub>3</sub> is
A) carbonous acid B) hydrocarbonate C) carbonic acid D) carbohydrate E) carbohydric acid Answer: C Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
47) The correct name for H <sub>2</sub> SO <sub>3</sub> is
A) sulfuric acid B) sulfurous acid C) hydrosulfuric acid D) hydrosulfic acid E) sulfur hydroxide Answer: B
Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8

48) The correct name for H <sub>2</sub> SO <sub>4</sub> is
A) sulfuric acid B) sulfurous acid C) hydrosulfuric acid D) hydrosulfic acid E) sulfur hydroxide Answer: A Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8 GO: G2
A) nitrous acid B) nitric acid C) hydronitroxide acid D) nitroxide acid E) nitrogen hydroxide Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
50) The correct name for HClO <sub>3</sub> is
51) The correct name for HClO is

52) The correct name for HBrO4 is  A) hydrobromic acid B) perbromic acid C) bromic acid D) bromous acid E) hydrobromous acid Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
53) The correct name for HBrO is  A) hydrobromic acid B) perbromic acid C) bromic acid D) bromous acid E) hypobromous acid Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
54) The correct name for HBrO <sub>2</sub> is  A) hydrobromic acid B) perbromic acid C) bromic acid D) bromous acid E) hydrobromous acid Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
55) The correct name for HClO <sub>2</sub> is  A) perchloric acid B) chloric acid C) hypochlorous acid D) hypychloric acid E) chlorous acid Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2

56) The correct name of the compound Na <sub>3</sub> N is
A) sodium nitride B) sodium azide C) sodium trinitride D) sodium(III) nitride E) trisodium nitride Answer: A Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
57) The formula of bromic acid is  A) HBr B) HBrO4 C) HBrO D) HBrO3 E) HBrO2 Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2
58) The correct formula for molybdenum (IV) hypochlorite is  A) Mo(ClO <sub>3</sub> ) <sub>4</sub> B) Mo(ClO) <sub>4</sub> C) Mo(ClO <sub>2</sub> ) <sub>4</sub> D) Mo(ClO <sub>4</sub> ) <sub>4</sub> E) MoCl <sub>4</sub> Answer: B  Diff: 2 Var: 1 Page Ref: Sec. 2.8  LO: 2.8  GO: G2
59) The name of PCl <sub>3</sub> is  A) potassium chloride B) phosphorus trichloride C) phosphorous(III) chloride D) monophosphorous trichloride E) trichloro potassium Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2

60) The ions  $Ca^{2+}$  and  $PO_4^{3-}$  form a salt with the formula \_\_\_\_\_. A) CaPO<sub>4</sub> B)  $Ca_2(PO_4)_3$ C) Ca<sub>2</sub>PO<sub>4</sub> D)  $Ca(PO_4)_2$ E) Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> Answer: E Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2 61) The correct formula of iron (III) bromide is \_\_\_\_\_. A) FeBr<sub>2</sub> B) FeBr<sub>3</sub> C) FeBr D) Fe<sub>3</sub>Br<sub>3</sub> E) Fe<sub>3</sub>Br Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2 62) Magnesium and sulfur form an ionic compound with the formula \_\_\_\_\_. A) MgS B) Mg<sub>2</sub>S C) MgS<sub>2</sub> D)  $Mg_2S_2$ E)  $Mg_2S_3$ Answer: A Page Ref: Sec. 2.8 Diff: 2 Var: 1 LO: 2.8 GO: G2 63) The formula of ammonium carbonate is \_\_\_\_\_. A)  $(NH_4)_2CO_3$ B) NH<sub>4</sub>CO<sub>2</sub> C)  $(NH_3)_2CO_4$ D)  $(NH_3)_2CO_3$ E)  $N_2(CO_3)_3$ Answer: A Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8

68) When calcium reacts with sulfur the compound formed is  A) Ca <sub>2</sub> S <sub>2</sub>
B) Ca <sub>3</sub> S <sub>2</sub>
C) CaS
D) CaS <sub>2</sub>
E) Ca <sub>2</sub> S <sub>3</sub>
Answer: C
Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
69) Chromium and chlorine form an ionic compound whose formula is CrCl <sub>3</sub> . The name of this
compound is
A) chromium chlorine
B) chromium (III) chloride
C) monochromium trichloride
D) chromium (III) trichloride
E) chromic trichloride
Answer: B Diff: 2 Var: 1 Page Ref: Sec. 2.8
Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8
GO: G2
70) Iron and chlorine form an ionic compound whose formula is FeCl <sub>3</sub> . The name of this compound is
A) iron chlorine
B) iron (III) chloride
C) moniron trichloride
D) iron (III) trichloride
E) ferric trichloride Answer: B
Diff: 2 Var: 1 Page Ref: Sec. 2.8
LO: 2.8
GO: G2
71) Copper and chlorine form an ionic compound whose formula is CuCl <sub>2</sub> . The name of this compound
A) copper chlorine
B) copper (III) dichloride
C) monocopper dichloride
D) copper (II) dichloride
E) cupric chloride
Answer: E
Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8
CO: C2

72) The nam	e of the binary compound $N_2O_4$ is
A) nitrogen (B) nitrogen (C) nitrogen (D) dinitrogen	ide IV) oxide
E) oxygen ni Answer: D	
Diff: 2 Va LO: 2.8 GO: G2	r: 1 Page Ref: Sec. 2.8
73) The form	ula for zinc phosphate is $Zn_3(PO_4)_2$ . What is the formula for cadmium arsenate?
A) Cd <sub>4</sub> (AsO	2)3
B) Cd <sub>3</sub> (AsO <sub>2</sub>	$\wp_2$
C) Cd <sub>3</sub> (AsO	3)4
D) Cd <sub>2</sub> (AsO	4)3
E) Cd <sub>2</sub> (AsO <sub>2</sub>	4)4
Answer: B	
Diff: 2 Va LO: 2.8 GO: G2	r: 1 Page Ref: Sec. 2.8
74) The form	ula for aluminum hydroxide is
A) Aloh B) Al <sub>3</sub> oh	
C) Al <sub>2</sub> (OH) <sub>3</sub>	
D) $Al(OH)_3$	
E) Al <sub>2</sub> O <sub>3</sub>	
Answer: D	
Diff: 2 Va LO: 2.8 GO: G2	r: 1 Page Ref: Sec. 2.8
	e of the ionic compound $V_2O_3$ is
A) vanadiun	
B) vanadium	
C) vanadium	ı (II) oxide
•	n (III) trioxide
E) divanadiu Answer: A	ım trioxide
Diff: 2 Va	r: 1 Page Ref: Sec. 2.8
LO: 2.8 GO: G2	

76) The name of the ionic compound NH<sub>4</sub>CN is \_\_\_\_\_. A) nitrogen hydrogen cyanate B) ammonium carbonitride C) ammonium cyanide D) ammonium hydrogen cyanate E) cyanonitride Answer: C Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8 GO: G2 77) The name of the ionic compound  $(NH_4)_3PO_4$  is \_\_\_\_\_. A) ammonium phosphate B) nitrogen hydrogen phosphate C) tetrammonium phosphate D) ammonia phosphide E) triammonium phosphate Answer: A Diff: 2 Page Ref: Sec. 2.8 Var: 1 LO: 2.8 GO: G2 78) What is the formula for perchloric acid? A) HClO B) HClO<sub>3</sub> C) HClO<sub>4</sub> D) HClO<sub>2</sub> E) HCl Answer: C Diff: 2 Page Ref: Sec. 2.8 Var: 1 LO: 2.8 GO: G2 79) The correct name for HIO<sub>2</sub> is \_\_\_\_\_. A) hypoiodic acid B) hydriodic acid C) periodous acid D) iodous acid E) periodic acid Answer: D Diff: 2 Var: 1 Page Ref: Sec. 2.8 LO: 2.8

```
80) What is the molecular formula for propane?
A) C_2H_8
B) C_3H_6
C) C_3H_8
D) C_4H_8
E) C_4H_{10}
Answer: C
Diff: 2
                     Page Ref: Sec. 2.9
         Var: 1
LO: 2.9
GO: G2
81) What is the molecular formula for butane?
A) C_2H_8
B) C_3H_6
C) C_3H_8
D) C<sub>4</sub>H<sub>8</sub>
E) C_4H_{10}
Answer: E
Diff: 2
        Var: 1
                     Page Ref: Sec. 2.9
LO: 2.9
GO: G2
82) What is the molecular formula for octane?
A) C_4H_{10}
B) C<sub>5</sub>H<sub>10</sub>
C) C_6H_{14}
D) C<sub>14</sub>H<sub>28</sub>
E) C_8H_{18}
Answer: E
Diff: 2
         Var: 1
                    Page Ref: Sec. 2.9
LO: 2.9
GO: G2
83) What is the molecular formula for pentane?
A) C_2H_8
B) C<sub>3</sub>H<sub>6</sub>
C) C_4H_8
D) C_5H_{12}
E) C_5H_{10}
Answer: D
Diff: 1
                     Page Ref: Sec. 2.9
          Var: 1
LO: 2.9
GO: G2
```

- 84) What is the molecular formula for nonane?
- A)  $C_9H_{18}$
- B)  $C_9H_{20}$
- C)  $C_{10}H_{20}$
- D)  $C_{10}H_{22}$
- E)  $C_{10}H_{24}$

Answer: B

Diff: 2 Var: 1 Page Ref: Sec. 2.9

LO: 2.9 GO: G2

- 85) What is the molecular formula for heptane?
- A)  $C_6H_{12}$
- B)  $C_6H_{14}$
- C) C<sub>7</sub>H<sub>14</sub>
- D) C<sub>7</sub>H<sub>16</sub>
- E)  $C_7H_{18}$
- Answer: D
- Diff: 2 Var: 1 Page Ref: Sec. 2.9
- LO: 2.9
- GO: G2
- 86) What is the molecular formula for 1-hexanol?
- A)  $C_6H_{13}O$
- B) C<sub>6</sub>H<sub>14</sub>O
- C)  $C_6H_{15}O$
- D) C<sub>7</sub>H<sub>14</sub>O
- E) C<sub>7</sub>H<sub>15</sub>O
- Answer: B
- Diff: 2 Var: 1 Page Ref: Sec. 2.9
- LO: 2.9
- GO: G2

## 2.3 Algorithmic Questions

	ould reac	of carbon reacts with 128 g of oxygen to form carbon monoxide gract with that same mass of carbon to form carbon dioxide, according to the lawns.	
		Page Ref: Sec. 2.1	
A) 6 B) 19 C) 7 D) 9 E) 13 Answer:	A	contains protons.  Page Ref: Sec. 2.3	
GO: G2  3) Of the A) protor B) neutro	n n	, the subatomic particle with the smallest mass is the	
C) electro D) alpha E) isotope Answer:	particle e		
Diff: 1 LO: 2.3 GO: G2	Var: 15	Page Ref: Sec. 2.3	
4) An ato: A) 54 B) 172 C) 64 D) 110 E) 118 Answer:		Ke contains neutrons.	
		Page Ref: Sec. 2.3	

5) There are	!	protons,	electrons, and	_ neutrons in an atom of	129 54 Xe
A) 129, 129, B) 129, 129, C) 54, 75, 12 D) 54, 54, 75 E) 54, 54, 12 Answer: D	75 29 5 9				
Diff: 2 Va LO: 2.3 GO: G2	ar: 5	Page Ref: Sec. 2.3			
A) 14 B) 20 C) 8 D) 10 E) 6	of <sup>14</sup> C	containse	lectrons.		
Answer: E Diff: 1 Va LO: 2.3 GO: G2	ar: 17	Page Ref: Sec. 2.3			
7) 87 pm is t A) 870 B) 8.7 C) 87 D) .87 E) .087 Answer: D	the sam	e as Angs	troms.		
Diff: 2 Va LO: 2.3 GO: G4	ar: 5	Page Ref: Sec. 2.3			
A) 2000 B) 20 C) 200 D) 2 E) 0.0002	s the sar	me as Å.			
Answer: D Diff: 1 Va LO: 2.3 GO: G4	ar: 5	Page Ref: Sec. 2.3			

```
9) In the symbol below, X = _____.
A) Zr
B) K
C) Sc
D) Br
E) not enough information to determine
Answer: B
Diff: 1
         Var: 5
                  Page Ref: Sec. 2.3
LO: 2.3
GO: G2
10) In the symbol below, x = \underline{\hspace{1cm}}.
        x
17Cl
A) 17
B) 34
C) 16
D) 36
E) not enough information to determine
Answer: E
Diff: 2
         Var: 5
                  Page Ref: Sec. 2.3
LO: 2.3
GO: G2
11) The mass number of an atom of ^{14}C is
A) 6
B) 20
C) 8
D) 14
E) 10
Answer: D
Diff: 2
         Var: 17 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
12) Which atom has the largest number of neutrons?
A) silicon-30
B) sulfur-36
C) argon-38
D) calcium-44
E) magnesium-24
Answer: D
Diff: 3
         Var: 50+
                    Page Ref: Sec. 2.3
LO: 2.3
```

```
13) How many neutrons are there in one atom of 184W?
A) 74
B) 112
C) 258
D) 110
E) 184
Answer: D
Diff: 3
       Var: 4
                Page Ref: Sec. 2.3
LO: 2.3
GO: G2
14) How many protons are there in one atom of <sup>71</sup>Ga?
A) 40
B) 70
C) 71
D) 31
E) 13
Answer: D
Diff: 3
         Var: 5 Page Ref: Sec. 2.3
LO: 2.3
GO: G2
15) How many electrons are there in one atom of 71Ga?
A) 40
B) 70
C) 71
D) 31
E) 13
Answer: D
         Var: 5 Page Ref: Sec. 2.3
Diff: 3
LO: 2.3
```

16) Which pair of atoms constitutes a pair of isotopes of the same element?

- A)  $\frac{28}{13}$ X  $\frac{29}{14}$ X
- B)  ${}^{59}_{26}X {}^{58}_{26}X$
- C)  $\frac{10}{2}$ X  $\frac{13}{3}$ X
- D)  $\frac{107}{43}$ X  $\frac{109}{44}$ X
- E)  $\frac{16}{6}$ X  $\frac{16}{7}$ X

Answer: B

- Diff: 1 Var: 50+ Page Ref: Sec. 2.3
- LO: 2.3
- GO: G2

17) The atomic number of an atom of  $^{80}\mathrm{Br}\,\mathrm{is}$  \_\_\_\_\_.

- A) 115
- B) 35
- C) 45
- D) 73
- E) 80

Answer: B

Diff: 1 Var: 17 Page Ref: Sec. 2.3

- LO: 2.3
- GO: G2

18) How many total electrons are in the Li<sup>+</sup> ion?

- A) 2
- B) 3
- C) 4
- D) 7
- E) 8

Answer: A

Diff: 1 Var: 5 Page Ref: Sec. 2.7

- LO: 2.7
- GO: G2

```
19) How many total electrons are in the O^{2-} ion?
A) 10
B) 8
C) 9
D) 16
E) 18
Answer: A
Diff: 1
         Var: 5
                   Page Ref: Sec. 2.7
LO: 2.7
GO: G2
20) If a iron atom loses 2 electrons to make an ion, what is the charge on that ion?
A) 2 +
B) 1+
C) 3+
D) 2-
E) 1-
Answer: A
Diff: 1
         Var: 5
                  Page Ref: Sec. 2.7
LO: 2.7
GO: G2
21) If an atom gains 3 electrons to make an ion, what is the charge on that ion?
A) 3+
B) 1+
C) 2+
D) 1-
E) 3-
Answer: E
Diff: 1
         Var: 3
                   Page Ref: Sec. 2.7
LO: 2.7
GO: G2
22) An ion has 26 protons, 29 neutrons, and 23 electrons. The symbol for the ion is ______.
A) 55 \text{Fe}^{3+}
B) 55Fe3-
C) 52Cu^{3+}
D) 52Cu3-
E) 55V3-
Answer: A
         Var: 10 Page Ref: Sec. 2.7
Diff: 1
LO: 2.7
```

23) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
221χ	55.700	220.90
$220\chi$	38.800	220.00
$218\chi$	5.5000	218.10

- A) 33.333
- B) 220.40
- C) 220.24
- D) 219.00
- E) 219.67
- Answer: B
- Diff 2 M

Diff: 3 Var: 5 Page Ref: Sec. 2.4

LO: 2.4 GO: G4

24) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
159χ	40.80	159.37
$163\chi$	8.000	162.79
$164\chi$	51.20	163.92

- A) 159.4
- B) 162.0
- C) 163.1
- D) 161.5
- E) 163.0
- Answer: B

Diff: 3 Var: 5 Page Ref: Sec. 2.4

LO: 2.4 GO: G4 25) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
53χ	25.00	52.62
56χ	37.00	56.29
58χ	38.00	58.31

- A) 52.62
- B) 56.14
- C) 55.70
- D) 55.40
- E) 55.74
- Answer: B
- Diff: 3 Var: 5 Page Ref: Sec. 2.4
- LO: 2.4 GO: G4
- 26) The element \_\_\_\_\_\_ is the most similar to sodium in chemical and physical properties.
- A) Mg
- B) Br
- C) N
- D) K
- E) Sr
- Answer: D
- Diff: 3 Var: 4 Page Ref: Sec. 2.5
- LO: 2.5 GO: G2
- 27) Which pair of elements would you expect to exhibit the greatest similarity in their physical and chemical properties?
- A) Li, F
- B) Sr, Te
- C) O, S
- D) In, Sb
- E) Ti, Ne
- Answer: C
- Diff: 1 Var: 50+ Page Ref: Sec. 2.5
- LO: 2.5
- GO: G2

28) Which one of the following is a metalloid?		
A) Se		
B) Hf		
C) Zr		
D) Xe		
E) Si		
Answer: E		
Diff: 1 Var: 5 Page Ref: Sec. 2.5		
LO: 2.5		
GO: G2		
29) The element lithium is in a group known as the		
A) transition metals		
B) alkaline earth metals		
C) noble gases		
D) halogens		
E) alkali metals		
Answer: E		
Diff: 1 Var: 4 Page Ref: Sec. 2.5		
LO: 2.5		
GO: G2		
000 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
30) The element chlorine is in a group known as the		
A) transition metals		
A) transition metals B) noble gases		
A) transition metals B) noble gases C) alkali metals		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2  31) The element calcium is in a group known as the A) transition metals		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals C) halogens		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals C) halogens D) noble gases		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals C) halogens D) noble gases E) alkaline earth metals		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals C) halogens D) noble gases E) alkaline earth metals Answer: E		
A) transition metals B) noble gases C) alkali metals D) alkaline earth metals E) halogens Answer: E Diff: 1 Var: 4 Page Ref: Sec. 2.5 LO: 2.5 GO: G2 31) The element calcium is in a group known as the A) transition metals B) alkali metals C) halogens D) noble gases E) alkaline earth metals		

```
32) Of the following, only _____ is <u>not</u> a metalloid.
A) B
B) Po
C) Si
D) Ge
E) As
Answer: B
Diff: 1
         Var: 4
                  Page Ref: Sec. 2.5
LO: 2.5
GO: G2
33) Which of the following elements is a nonmetal?
A) At
B) Rh
C) Tc
D) Mo
E) Zr
Answer: A
Diff: 1
         Var: 4
                  Page Ref: Sec. 2.5
LO: 2.5
GO: G2
34) Which one of the following will occur as diatomic molecules in elemental form?
A) helium
B) argon
C) chlorine
D) phosphorous
E) sodium
Answer: C
Diff: 1 Var: 50+
                    Page Ref: Sec. 2.6
LO: 2.5
GO: G2
35) How many electrons does the As<sup>3-</sup> ion possess?
A) 30
B) 36
C) 2
D) 8
E) 33
Answer: B
Diff: 1
         Var: 10 Page Ref: Sec. 2.7
LO: 2.7
GO: G2
```

```
36) How many protons does the Br<sup>-</sup> ion possess?
A) 34
B) 36
C) 6
D) 8
E) 35
Answer: E
Diff: 1
         Var: 10 Page Ref: Sec. 2.7
LO: 2.7
GO: G2
37) Which one of the following is most likely to gain electrons when forming an ion?
A) Mn
B) Zn
C) F
D) Li
E) Al
Answer: C
Diff: 2
         Var: 50+
                    Page Ref: Sec. 2.7
LO: 2.7
GO: G2
38) The formula of a salt is XCl<sub>2</sub>. The X-ion in this salt has 24 electrons. The metal X is _____.
A) Ni
B) Fe
C) Zn
D) V
E) Pd
Answer: B
Diff: 2
         Var: 5
                  Page Ref: Sec. 2.7
LO: 2.7
GO: G2
39) Predict the charge of the most stable ion of selenium.
A) 3+
B) 1-
C) 2+
D) 2-
E) 1+
Answer: D
Diff: 1
         Var: 10 Page Ref: Sec. 2.7
LO: 2.7
GO: G2
```

```
40) Predict the charge of the most stable ion of aluminum.
A) 3-
B) 1+
C) 2+
D) 1-
E) 3+
Answer: E
Diff: 1
                    Page Ref: Sec. 2.7
           Var: 10
LO: 2.7
GO: G2
41) Which of the following compounds would you expect to be ionic?
A) C<sub>2</sub>H<sub>6</sub>
B) NH<sub>3</sub>
C) H<sub>2</sub>O<sub>2</sub>
D) LiBr
E) None of the above.
Answer: D
Diff: 1
          Var: 50+
                        Page Ref: Sec. 2.7
LO: 2.7
GO: G2
42) Which species below is the sulfate ion?
A) CN-
B) SO<sub>4</sub>2-
C) OH-
D) SO<sub>3</sub>2-
E) None of the above
Answer: B
Diff: 1
           Var: 4
                     Page Ref: Sec. 2.8
LO: 2.8
GO: G2
43) Which species below is the nitrate ion?
A) NO<sub>2</sub>-
B) NO<sub>3</sub>-
C) ClO<sub>3</sub>-
D) ClO<sub>4</sub>-
E) MnO<sub>4</sub>-
Answer: B
Diff: 1
          Var: 5
                     Page Ref: Sec. 2.8
LO: 2.8
```

A) $Cr_2O_7^{2-}$	below is the chromate ion?
B) CrO <sub>4</sub> <sup>2</sup> -	
C) CH <sub>3</sub> COO-	
D) CO <sub>3</sub> 2-	
E) None of the ab	oove
Answer: B	D D ( C 2 0
	Page Ref: Sec. 2.8
LO: 2.8 GO: G2	
GG. G2	
45) The correct na	me for CaO is
A) calcium oxide	
B) calcium hydrox	
C) calcium peroxi	
D) calcium monox	
E) calcium dioxide Answer: A	e
	Page Ref: Sec. 2.8
LO: 2.8	
GO: G2	
electrons. Elemen A) Al B) Cr C) Mn	acts with fluorine to form an ionic compound with the formula MF <sub>3</sub> . The M-ion has 21 t M is
electrons. Elemen A) Al B) Cr C) Mn D) Fe	
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc	
electrons. Elemen A) Al B) Cr C) Mn D) Fe	
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2 47) The charge on	t M is
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2 47) The charge on A) +1	t M is Page Ref: Sec. 2.8
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2 47) The charge on	t M is Page Ref: Sec. 2.8
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2 47) The charge on A) +1 B) +2	t M is Page Ref: Sec. 2.8
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2  47) The charge on A) +1 B) +2 C) +4 D) +3 E) +5	t M is Page Ref: Sec. 2.8
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2  47) The charge on A) +1 B) +2 C) +4 D) +3 E) +5 Answer: B	t M is  Page Ref: Sec. 2.8  the copper ion in the salt CuO is
electrons. Elemen A) Al B) Cr C) Mn D) Fe E) Sc Answer: B Diff: 2 Var: 5 LO: 2.8 GO: G2  47) The charge on A) +1 B) +2 C) +4 D) +3 E) +5	t M is Page Ref: Sec. 2.8

48) The charge on the silver ion in the salt AgCl is  A) +2 B) +1 C) +3 D) +4 E) +5 Answer: B Diff: 2 Var: 4 Page Ref: Sec. 2.8 LO: 2.8 GO: G2	
49) The name of the ionic compound NaBrO <sub>4</sub> is  A) sodium perbromate  B) sodium bromate  C) sodium hypobromate  D) sodium perbromite  E) sodium bromide  Answer: A  Diff: 2 Var: 4 Page Ref: Sec. 2.8  LO: 2.8  GO: G2	
50) When a bromine atom forms the bromide ion, it has the same charge as the ion A) sulfide B) ammonium C) nitrate D) phosphate E) sulfite Answer: C Diff: 1 Var: 4 Page Ref: Sec. 2.7 LO: 2.7 GO: G2	n
51) Which element forms an ion with the same charge as the sulfate ion?  A) magnesium  B) sodium  C) fluorine  D) vanadium  E) sulfur  Answer: E  Diff: 2 Var: 50+ Page Ref: Sec. 2.8  LO: 2.8  GO: G2	

52) The correct na	ame for Na <sub>2</sub> O <sub>2</sub> is
A) sodium oxide	
B) sodium dioxid	le
C) disodium diox	ride
D) sodium perox	
E) disodium oxid	le
Answer: D	
Diff: 2 Var: 4	Page Ref: Sec. 2.8
LO: 2.8	
GO: G2	
A) Cr B) Ni C) Zr D) Na E) Mo Answer: D	is not required to have its charge specified in the names of ionic compounds it forms?  + Page Ref: Sec. 2.8
	swer Questions the periodic table would the fictitious element : X: be found?
-) · · · · · · · · · · · · · · · · · · ·	·
Answer: VIIA Diff: 2 Var: 1 LO: 2.5 GO: G2	Page Ref: Sec. 2.5
2) Which element Answer: francium	t in Group IA is the most electropositive? m
Diff: 2 Var: 1 LO: 2.5 GO: G2	Page Ref: Sec. 2.5
3) The formula for Answer: K <sub>2</sub> S	or potassium sulfide is
Diff: 2 Var: 1 LO: 2.8 GO: G2	Page Ref: Sec. 2.8

## Test Bank for Chemistry The Central Science 13th Edition by Brown

Full Download: http://downloadlink.org/product/test-bank-for-chemistry-the-central-science-13th-edition-by-brown/

4) What is the name of an alcohol derived from hexane?

Answer: hexanol

Diff: 2 Var: 1 Page Ref: Sec. 2.9

LO: 2.9 GO: G2

## 2.5 True/False Questions

1) The possible oxidation numbers for iron are +1 and +2.

Answer: FALSE

Diff: 1 Var: 1 Page Ref: Sec. 2.7

LO: 2.7 GO: G2

2) The formula for chromium (II) iodide is CrI<sub>2</sub>.

Answer: TRUE

Diff: 2 Var: 1 Page Ref: Sec. 2.8

LO: 2.8 GO: G2

3) H<sub>2</sub>SeO<sub>4</sub> is called selenic acid.

Answer: TRUE

Diff: 2 Var: 1 Page Ref: Sec. 2.8

LO: 2.8 GO: G2

4) The correct name for Na<sub>3</sub>N is sodium azide.

Answer: FALSE

Diff: 2 Var: 1 Page Ref: Sec. 2.8

LO: 2.8 GO: G2