

Chapter 03: Ethical and Legal Issues in Critical Care Nursing

Sole: Introduction to Critical Care Nursing, 7th Edition

MULTIPLE CHOICE

1. Ideally, an advance directive should be developed by the
 - a. family if the patient is in critical condition.
 - b. patient as part of the hospital admission process.
 - c. patient before hospitalization.
 - d. patient's health care surrogate.

ANS: C

Advance directives should be made and signed while a person is in good health and in a state of mind to make decisions about what should happen if he or she becomes incapacitated (e.g., during a critical illness). Families help to make decisions based on written advance directives, but families are not responsible for developing them for the patient. Developing advance directives during the admission process is not feasible, and the patient may not be capable of making an advance directive. The surrogate or proxy is one who has been already designated by a person to make health care decisions based on written advance directives.

DIF: Cognitive Level: Remember/Knowledge

REF: p. 36

OBJ: Discuss ethical principles and legal concepts related to critical care nursing.

TOP: Integrated Process: Communication and Documentation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

2. A critically ill patient has a living will in the chart. The patient's condition has deteriorated, but the spouse wants "everything done," regardless of the patient's wishes. Which ethical principle is the spouse violating?
 - a. Autonomy
 - b. Beneficence
 - c. Justice
 - d. Nonmaleficence

ANS: A

Autonomy is respect for the individual and the ability of individuals to make decisions with regard to their own health and future. The spouse is violating the patient's autonomy in decision making. Beneficence consists of actions intended to benefit the patients or others. Justice means being fair. Nonmaleficence is the duty to prevent harm.

DIF: Cognitive Level: Analyze/Analysis

REF: p. 31 | Box 3-1

OBJ: Discuss ethical principles and legal concepts related to critical care nursing.

TOP: Integrated Process: Communication and Documentation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

3. Which statement regarding ethical concepts is true?
 - a. A living will is the same as a health care proxy.
 - b. A signed donor card ensures that organ donation will occur in the event of brain death.
 - c. A surrogate is a competent adult designated by a person to make health care decisions in the event the person is incapacitated.

d. A persistent vegetative state is the same as brain death in most states.

ANS: C

A surrogate is a competent adult designated by a person to make health care decisions if that person becomes incapacitated. A living will is a witnessed document that states a person's wishes regarding life-prolonging procedures, whereas a health care proxy is a person authorized by state statute to make health care decisions. In many states, consent by family members or health care proxy is required for organ donation even if an individual has a signed donor card. A persistent vegetative state is a permanent, irreversible unconscious condition that demonstrates an absence of voluntary action or cognitive behavior, or an inability to communicate or interact; brain death is cessation of brain function.

DIF: Cognitive Level: Remember/Knowledge

REF: p. 34

OBJ: Discuss ethical principles and legal concepts related to critical care nursing.

TOP: Integrated Process: Communication and Documentation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

4. Which of the following statements about resuscitation is true?
- Family members should never be present during resuscitation.
 - It is not necessary for a physician to write "do not resuscitate" orders in the chart if a patient has a health care surrogate.
 - "Slow codes" are ethical and should be considered in futile situations if advanced directives are unavailable.
 - Withholding "extraordinary" resuscitation is legal and ethical if specified in advance directives and physician orders.

ANS: D

Withholding resuscitation and other care is legal and ethical if based on the patient's wishes. Formal orders should be written that specify what is to be done if a patient suffers a cardiopulmonary arrest. Family presence during resuscitation and invasive procedures should be encouraged. A written order for "do not resuscitate" must be documented in the medical record. The decision to write the order is made in collaboration with the health care surrogate. "Slow codes" sometimes occur in the clinical setting while attempts are made to contact the health care surrogate or proxy; however, they are neither legal nor ethical. Specific written orders determine what is to be done for resuscitation efforts.

DIF: Cognitive Level: Remember/Knowledge

REF: p. 36

OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Integrated Process: Communication and Documentation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

5. The nurse is caring for an elderly patient who is in cardiogenic shock. The patient has failed to respond to medical treatment. The intensivist in charge of the patient conducts a conference to explain that treatment options have been exhausted and to suggest that the patient be given a "do not resuscitate" status. This scenario illustrates the concept of
- brain death.
 - futility.
 - incompetence.
 - life-prolonging procedures.

ANS: B

This is the definition of futility. Brain death is cessation of brain function and is not described in this scenario. Incompetence (in this chapter) is when a patient is unable to make decisions regarding health care treatment. A life-prolonging procedure is one that sustains, restores, or supplants a spontaneous vital function.

DIF: Cognitive Level: Remember/Knowledge REF: p. 36
OBJ: Discuss ethical and legal issues that arise in the critical care setting.
TOP: Integrated Process: Communication and Documentation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

6. The nurse is caring for a patient admitted with a traumatic brain injury following a motor vehicle crash. Several weeks later, the patient is still ventilator dependent and unresponsive to stimulation but occasionally takes a spontaneous breath. The physician explains to the family that the patient has severe neurological impairment and is not expected to recover consciousness. The nurse recognizes that this patient is
- an organ donor.
 - brain dead.
 - in a persistent vegetative state.
 - terminally ill.

ANS: C

A persistent vegetative state is a permanent, irreversible unconscious condition that demonstrates an absence of voluntary action or cognitive behavior, or an inability to communicate or interact purposefully with the environment. The patient is not brain dead, as evidenced by occasionally taking a spontaneous breath. Because the patient is not brain dead, he or she cannot be an organ donor at this time. Treatment of this condition may be considered futile; however, this condition would not be defined as terminally ill.

DIF: Cognitive Level: Analyze/Analysis REF: p. 38
OBJ: Discuss ethical and legal issues that arise in the critical care setting.
TOP: Integrated Process: Communication and Documentation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

7. A nurse caring for a patient with neurological impairment often must use painful stimuli to elicit the patient's response. The nurse uses subtle measures of painful stimuli, such as nailbed pressure. She neither slaps the patient nor pinches the nipple to elicit a response to pain. In this scenario, the nurse is exemplifying the ethical principle of
- beneficence.
 - fidelity.
 - nonmaleficence.
 - veracity.

ANS: C

Nonmaleficence means not to intentionally harm others. The nurse does need to determine the patient's response to painful stimulation but does so in a way that is ethical. Beneficence demonstrates actions intended to benefit the patients or others. Fidelity is the moral duty to be faithful to the commitments that one makes to others. Veracity is the obligation to tell the truth.

DIF: Cognitive Level: Analyze/Analysis REF: p. 31
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.

TOP: Nursing Process Step: Assessment

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

8. Which of the following organizations requires a mechanism for addressing ethical issues?
- American Association of Critical-Care Nurses
 - American Hospital Association
 - Society of Critical Care Medicine
 - The Joint Commission

ANS: D

The Joint Commission requires that a formal mechanism be in place to address patients' ethical concerns. The other organizations do not address formal ethics committees.

DIF: Cognitive Level: Remember/Knowledge

REF: p. 32

OBJ: Discuss ethical principles and legal concepts related to critical care nursing.

TOP: Integrated Process: Communication and Documentation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

9. The nurse is caring for a patient who is not responding to medical treatment. The intensivist holds a conference with the family, and a decision is made to withdraw life support. The nurse's religious beliefs are not in agreement with the withdrawal of life support. However, the nurse assists with the process to avoid confronting the charge nurse. Afterward the nurse feels guilty for "killing the patient." This scenario is likely to cause
- abandonment.
 - family stress.
 - moral distress.
 - negligence.

ANS: C

Moral distress occurs when the nurse acts in a manner contrary to personal or professional values. Abandonment is defined as the unilateral severance of a professional relationship while a patient is still in need of health care. Family stress would not be impacted in this situation if the nurse responded appropriately during the procedure. Negligence is failure to act according to the standard of care.

DIF: Cognitive Level: Understand/Comprehension

REF: p. 32

OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Integrated Process: Caring

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

10. The nurse is caring for a patient who has been declared brain dead. The patient is considered a potential organ donor. To proceed with donation, the nurse understands that
- a signed donor card mandates that organs be retrieved in the event of brain death.
 - after brain death has been determined, perfusion and oxygenation of organs is maintained until organs can be removed in the operating room.
 - the health care proxy does not need to give consent for the retrieval of organs.
 - once a patient has been established as brain dead, life support is withdrawn and organs are retrieved.

ANS: B

After brain death has been determined, the organs must be perfused to maintain viability. Therefore, the patient remains on life support even though he or she is legally dead. A signed donor card indicates the individual's wishes; however, most organ procurement agencies require family consent even if a donor card has been signed. In most states, the health care surrogate or proxy is required to give consent for organ donation. After brain death has been determined, perfusion and oxygenation of organs are maintained until organs can be removed in the operating room.

DIF: Cognitive Level: Remember/Knowledge REF: p. 38
OBJ: Discuss ethical and legal issues that arise in the critical care setting.
TOP: Nursing Process Step: Implementation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

11. The nurse is caring for a patient who is declared brain dead and is an organ donor. The following events occur: 1300 Diagnostic tests for brain death are completed. 1330 Intensivist reviews diagnostic test results and writes in the progress note that the patient is brain dead. 1400 Patient is taken to the operating room for organ retrieval. 1800 All organs have been retrieved for donation. The ventilator is discontinued. 1810 Cardiac monitor shows flatline. What is the official time of death recorded in the medical record?
- 1300
 - 1330
 - 1400
 - 1800
 - 1810

ANS: B

The time of death is when brain death is confirmed and documented in the chart, even though the patient's heart is still beating. Organs are retrieved after brain death has been documented.

DIF: Cognitive Level: Analyze/Analysis REF: p. 38
OBJ: Discuss ethical and legal issues that arise in the critical care setting.
TOP: Nursing Process Step: Assessment
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

12. The nurse is caring for a critically ill patient on mechanical ventilation. The physician identifies the need for a bronchoscopy, which requires informed consent. For the physician to obtain consent from the patient, the patient must be able to
- be weaned from mechanical ventilation.
 - have knowledge and competence to make the decision.
 - nod his head that it is okay to proceed.
 - read and write in English.

ANS: B

Informed consent requires that a person know what is to be done and have the competence to make an informed decision. Most critically ill patients do not have this capacity; however, an assessment should be made to determine the patient's capacity. Some patients on mechanical ventilation are able to give written consent. Reading and writing in English are not requirements for informed consent.

DIF: Cognitive Level: Remember/Knowledge REF: p. 33
OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Nursing Process Step: Assessment

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

13. The nurse is caring for a critically ill patient with terminal cancer. The monitor alarms and shows a potentially lethal rhythm. The patient has no pulse. The patient does not have a “do not resuscitate” order written on the chart. What is the appropriate nursing action?
- Contact the attending physician immediately to determine if CPR should be initiated.
 - Contact the family immediately to determine if they want CPR to be started.
 - Give emergency medications but withhold intubation.
 - Initiate CPR and call a code.

ANS: D

Because no orders have been written, it is imperative that a code be called. In this example, decisions regarding resuscitation status should be determined as soon as possible before a code event. The physician and family should be contacted immediately to determine treatment options, but CPR is not withheld. It is not appropriate to conduct a “partial” code by giving medications only.

DIF: Cognitive Level: Analyze/Analysis

REF: p. 36

OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Nursing Process Step: Implementation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

14. When addressing an ethical dilemma, contextual, physiological, and personal factors of the situation must be considered. Which of the following is an example of a personal factor?
- The hospital has a policy that everyone must have an advance directive on the chart.
 - The patient has lost 20 pounds in the past month and is fatigued all the time.
 - The patient has told you what quality of life means and his or her wishes.
 - The physician considers care to be futile in a given situation.

ANS: C

Personal factors include competence, stated wishes, goals and hopes, definition of quality of life, and family relationships. Hospital policy is a contextual factor. Weight loss and fatigue are physiological factors. The physician’s belief is a contextual factor.

DIF: Cognitive Level: Analyze/Analysis

REF: p. 31 | Fig 3-1

OBJ: Apply the components of a systematic, ethical decision-making model.

TOP: Nursing Process Step: N/A

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

15. A specific request made by a competent person that directs medical care related to life-prolonging procedures in the event that person loses capacity to make decisions is called a
- “do not resuscitate” order.
 - health care proxy.
 - informed consent.
 - living will.

ANS: D

A living will is a formal advance directive that directs medical care related to life-prolonging procedures when a person does not have the capacity to make decisions regarding health care and treatment. A “do not resuscitate” order is a legal medical order prohibiting resuscitation measures in the event of clinical death. A health care proxy is an individual designated by the person to make decisions if incapacitated. Informed consent involves decisions regarding treatments and procedures following explanation of risks and benefits.

DIF: Cognitive Level: Remember/Knowledge REF: p. 35
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.
TOP: Integrated Process: Communication and Documentation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

16. The American Nurses Credential Center Magnet Recognition Program supports many actions to ensure that nurses are engaged and empowered to participate in ethical decision making. Which of the following would assist nurses in being involved in research studies?
- Education on protection of human subjects
 - Participation of staff nurses on ethics committees
 - Written descriptions of how nurses participate in ethics programs
 - Written policies and procedures related to response to ethical issues

ANS: A

Completion of education related to human subject protection assists nurses in research. Ethics committees, ethics programs, and policies address ethics issues rather than prepare nurses for research.

DIF: Cognitive Level: Understand/Comprehension REF: p. 32
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.
TOP: Integrated Process: Caring
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

17. The critical care nurse wants a better understanding of when to initiate an ethics consult. After attending an educational program, the nurse understands that the following situation would require an ethics consultation:
- Conflict has occurred between the physician and family regarding treatment decisions. A family conference is held, and the family and physician agree to a treatment plan that includes aggressive treatment for 24 hours followed by reevaluation.
 - Family members disagree as to a patient’s course of treatment. The patient has designated a health care proxy and has a written advance directive.
 - Patient postoperative coronary artery bypass surgery who sustained a cardiopulmonary arrest in the operating room. He was successfully resuscitated, but now is not responding to treatment. He has a written advance directive, and his wife is present.
 - Patient with multiple trauma and is not responding to treatment. No family members are known, and the health care team is debating if care is futile.

ANS: D

In the case of a seriously ill patient who is incapacitated and does not have a surrogate, an ethics consultation is warranted. While care does not have to be provided in the case of futility, disagreements may lead to the need for a consult to resolve the dilemma. The conflict has been resolved in the case of the family and physician agreeing on a course of treatment for 24 hours followed by reevaluation. Although family members disagree, if a patient has a written advance directive and a designated health care proxy, an ethics consultation is unwarranted; the patient's wishes are clearly known. The cardiac surgery patient has a written directive to guide his treatment.

DIF: Cognitive Level: Analyze/Analysis REF: p. 33 | Box 3-3
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.
TOP: Integrated Process: Communication and Documentation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

18. The nurse knows that which of the following statements about organ donation is true?
- Anyone who is comfortable approaching the family should discuss the option of organ donation.
 - Brain death determination is required before organs can be retrieved for transplant.
 - Donation of selected organs after cardiac death is ethically acceptable.
 - Family members should consider the withdrawal of life support so that the patient can become an organ donor.

ANS: C

Donation of selected organs after cardiac death is ethically and legally appropriate. Specific policies and procedures for donation after cardiac death facilitate this procedure. Only designated requesters who are knowledgeable and trained in organ donation should approach the family to discuss donation. Organs can be retrieved not only after brain death but also after cardiac death. The decision to withdraw life support should be made separately from the decision to donate organs.

DIF: Cognitive Level: Remember/Knowledge REF: p. 38
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.
TOP: Nursing Process Step: N/A
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

MULTIPLE RESPONSE

- Warning signs that can assist the critical care nurse in recognizing that an ethical dilemma may exist include which of the following? (*Select all that apply.*)
 - Family members are confused about what is happening to the patient.
 - Family members are in conflict as to the best treatment options. They disagree with one another and cannot come to consensus.
 - The family asks that the patient not be told of treatment plans.
 - The patient's condition has changed dramatically for the worse and is not responding to conventional treatment.
 - The physician is considering the use of a medication that is not approved to treat the patient's condition.

ANS: A, B, C, D, E

All of these are potential signs of an ethical dilemma.

DIF: Cognitive Level: Analyze/Analysis REF: p. 30
OBJ: Apply the components of a systematic, ethical decision-making model.
TOP: Nursing Process Step: Assessment
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

2. The nurse is caring for a patient whose condition has deteriorated and who is not responding to standard treatment. The physician calls for an ethical consultation with the family to discuss potential withdrawal of treatment versus aggressive treatment. The nurse understands that applying a model for ethical decision making involves which of the following? (*Select all that apply.*)
- Burden versus benefit
 - Family's wishes
 - Patient's wishes
 - Potential outcomes of treatment options
 - Cost savings of withdrawing treatment

ANS: A, C, D

According to the ethical decision-making process, decisions should be made in light of the patient's wishes (autonomy), burden versus benefit (beneficence), other relevant principles, and potential outcomes of various options. The patient's wishes may differ from those of the family. Costs should not be considered; rather health care resources should be distributed in a way that ensures justice.

DIF: Cognitive Level: Understand/Comprehension REF: pp. 30-31 |Fig 3-12
OBJ: Apply the components of a systematic, ethical decision-making model.
TOP: Integrated Process: Communication and Documentation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

3. The nurse utilizes which of the following strategies when encountering an ethical dilemma in practice? (*Select all that apply.*)
- Change-of-shift report updates
 - Ethics consultation services
 - Formal multiprofessional ethics committees
 - Pastoral care services
 - Social work consultation

ANS: B, C

Formal mechanisms such as multiprofessional ethics committees or referral services are strategies to address ethical issues. Nurse-to-nurse communication can help share information from shift to shift, but it is not the best way to address ethical issues. Pastoral care representatives may serve on an ethics committee; however, their primary role is to support the spiritual needs of the patient and family. A social worker may be very beneficial, but is not at the level of a multiprofessional committee.

DIF: Cognitive Level: Apply/Application REF: p. 32 | p. 36
OBJ: Discuss ethical principles and legal concepts related to critical care nursing.
TOP: Nursing Process Step: Implementation
MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

Test Bank for Introduction to Critical Care Nursing 7th Edition by Sole

Full Download: <https://downloadlink.org/p/test-bank-for-introduction-to-critical-care-nursing-7th-edition-by-sole/>

4. The nurse is caring for a patient with severe neurological impairment following a massive stroke. The physician has ordered tests to determine brain death. The nurse understands that criteria for brain death include (*Select all that apply.*)
- absence of cerebral blood flow.
 - absence of brainstem reflexes on neurological examination.
 - Cheyne-Stokes respirations.
 - flat electroencephalogram.
 - responding only to painful stimuli.

ANS: A, B, D

Criteria for brain death include absence of cerebral blood flow, absence of brainstem reflexes, and flat electroencephalogram. The presence of Cheyne-Stokes respirations and the response to pain would indicate some brain function.

DIF: Cognitive Level: Remember/Knowledge

REF: p. 38

OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Nursing Process Step: Assessment

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment

5. The nurse is caring for an 80-year-old patient who has been treated for gastrointestinal bleeding. The family has agreed to withhold additional treatment. The patient has a written advance directive specifying requests. The directive notes that the patient wants food and fluid to be continued. The nurse anticipates that several orders may be written to comply with this request, including which of the following? (*Select all that apply.*)
- “Do not resuscitate.”
 - Change antibiotic to a less expensive medication.
 - Discontinue tube feeding.
 - Stop any further blood transfusions.
 - Water boluses every 4 hours with tube feeding.

ANS: A, D, E

A DNR order would be appropriate given the family’s decision, as would prohibiting further transfusions. Giving water boluses is compatible with the patient’s wishes, but stopping the feeding is not. Changing antibiotics may or may not be appropriate, but the cost of treatment is not related to the withholding of further care.

DIF: Cognitive Level: Analyze/Analysis

REF: p. 35

OBJ: Discuss ethical and legal issues that arise in the critical care setting.

TOP: Nursing Process Step: Implementation

MSC: NCLEX Client Needs Category: Safe and Effective Care Environment