Test Bank for Introductory Algebra for College Students 7th Edition by Blitzer IBSN 9780134189000

Full Download: http://downloadlink.org/product/test-bank-for-introductory-algebra-for-college-students-7th-edition-by-blitzer-ibsr MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine whether the equation in one variable is linear.

1) x - 8 = 11 A) linear	B) not linear
Answer: A	
2) $x^2 - 5 = 10$	
A) linear	B) not linear
Answer: B	
3) $\frac{6}{x} = 11$	
A) linear	B) not linear
Answer: B	
4) $10x + 19 = 14$	
A) linear	B) not linear
Answer: A	
5) $\frac{x}{8} + 24 = 26$	
A) linear	B) not linear
Answer: A	
$6)\sqrt{2}x + \pi = 0.\overline{7}$	
A) linear	B) not linear
Answer: A	
7) $6\sqrt{x} - 13 = 0$	
A) linear	B) not linear
Answer: B	
8) $38.7x = 3.1$	D) not linear
A) linear Answer: A	B) not linear
9) $9(x-7) = 0$	
A) linear	B) not linear
Answer: A	
$\begin{array}{l} 10 \mathbf{x} + 5 = 7 \\ \text{A) linear} \end{array}$	P) not linear
	B) not linear
Answer: B	
(1) $ 12x - 6 = 30$	B) not linear
A) linear Answer: B	B) not linear

12) $7x = 14x^3$ A) linear Answer: B		B) not linear	
Solve the equation. 13) a - 6 = -17 A) {-23} Answer: C	B) {11}	C) {-11}	D) {23}
14) x + 7 = -16 A) {-23} Answer: A	B) {9}	C) {23}	D) {-9}
15) x + 19 = 2 A) {21} Answer: C	B) {-21}	C) {-17}	D) {17}
16) -8 = b - 4 A) {4} Answer: B	B) {-4}	C) {12}	D) {-12}
17) 9 = b - 12 A) {3} Answer: D	B) {-21}	C) {-3}	D) {21}
18) -2 + s = 14 A) {12} Answer: D	B) {-16}	C) {-12}	D) {16}
$19) \frac{1}{4} + x = 9$ $A) \left\{ \frac{35}{4} \right\}$ Answer: A	B) {2}-	C) $\left\{\frac{37}{4}\right\}$	D) {35}
20) x + $\frac{1}{11} = \frac{10}{11}$ A) $\left\{\frac{9}{10}\right\}$ Answer: B	B) $\left\{\frac{9}{11}\right\}$	C) {1}	D) $\left\{\frac{8}{11}\right\}$
21) x + $\frac{3}{5} = -\frac{1}{10}$ A) $\left\{-\frac{4}{15}\right\}$ Answer: C	$B)\left\{-\frac{18}{25}\right\}$	C) $\left\{-\frac{7}{10}\right\}$	D) $\left\{-\frac{2}{5}\right\}$

22) $x - \frac{3}{4} = \frac{3}{16}$ A) $\left\{-\frac{3}{8}\right\}$ Answer: B	B) $\left\{\frac{15}{16}\right\}$	$C)\left\{-\frac{61}{64}\right\}$	$D)\left\{-\frac{15}{16}\right\}$
$23) - \frac{3}{4} + z = \frac{1}{7}$ $A) \left\{ \frac{25}{28} \right\}$ Answer: A	B) $\left\{\frac{4}{11}\right\}$	$C)\left\{-\frac{25}{28}\right\}$	D) $\left\{\frac{4}{7}\right\}$
24) -8.9 + x = 14.2 A) {22.6} Answer: C	B) {4.8}	C) {23.1}	D) {5.3}
25) –26.0 – z = 19.9 A) {45.9} Answer: C	B) {-6.1}	C) {-45.9}	D) {6.1}
26) 15 + 4p = 5p A) {-15} Answer: C	B) {4}	C) {15}	D) {6}
27) 6y = 5y - 8.8 A) {8.8} Answer: C	B) {-19.8}	C) {-8.8}	D) {6}
28) 17x - 3 = 6x + 85 A) {9} Answer: D	B) {11}	C) {6}	D) {8}
29) 16x – 5 – 12x = 31 A) {7} Answer: C	B) {12}	C) {9}	D) {10}
30) 3(y + 3) = 4(y - 3) A) {3} Answer: B	B) {21}	C) {-21}	D) {-3}
31) 5(2z – 3) = 9(z + 5) A) {35} Answer: B	B) {60}	C) {-30}	D) {30}
32) 10y = 5y + 5 + 4y A) {-50} Answer: C	B) {-5}	C) {5}	D) {50}

33) -2a + 3 + 3a = 15 - 24 A) {42} Answer: B	B) {-12}	C) {-42}	D) {12}
34) -8b + 4 + 6b = -3b + 9 A) {9} Answer: D	B) {-9}	C) {-4}	D) {5}
35) -8.4 + 5x - 6.4 + 4x - 2.5 A) {24.2} Answer: D	= 5.7 + 10x + 1.2 B) {-10.4}	C) {10.4}	D) {-24.2}

Use the given information to write an equation. Let x represent the number described in the exercise. Then solve the equation and find the number.

36) The sum of a nu A) $44x = 50; 1$	1.14 mmber and forty-four is fifty. B) $x \div 44 = 50$	0; 2200 C) x - 44 = 50; 9	4 D) $x + 44 = 50; 6$
Answer: D	,	-,, -,)
A) 29 + 52 = >	Accreased by a number equals $x; 81$ B) $29 - x = 52$	2	D) 29 + x = 52; 23
Answer: D			
38) If 230 is subtrac A) x + 230 = - C) x - 230 = - Answer: C		t is 490. B) x + 490 = 230 D) x - 230 = 490	
39) If 276 is added t A) x - 276 = 5 Answer: B	to a number, the result is 564, 564; 840 B) $276 + x = 5$; -840 D) x + 276 = 564; -288
Solve.			
-	ng a car towed is given by th towed. Find the cost of havin		s in dollars and x is the number of
A) \$30	B) \$95	C) \$105	D) \$77
Answer: C			
			= 0.08t + 3.95 where C is in dollars ing long distance for 60 minutes in
A) \$9.95	B) \$7.75	C) \$8.75	D) \$4.80
Answer: C			
-	water in a leaky bucket is giv ne amount of water in the bu	en by the formula f = 128 – 9t, w cket after 8 minutes.	here f is in ounces and t is in
A) 56 oz	B) 200 oz	C) 72 oz	D) 119 oz
Answer: A			

	43) The altitude above sea level of an airplane just after taking off from an airport on a high plateau is given by th formula h = 400t + 2869, where h is in feet and t is the time in minutes since take-off. Find the altitude of the airplane after 4 minutes		
A) 4569 ft	B) 4469 ft	C) 4369 ft	D) 1600 ft
Answer: B			
Solve the equation using the multip	plication property of equ	uality.	
$44)\frac{1}{10}a = 0$			
A) {0}	B) {1}	C) {-10}	D) {10}
Answer: A			
45) $\frac{n}{4} = 8$			
A) {11}	B) {12}	C) {2}	D) {32}
Answer: D			
46) $-\frac{n}{2} = -12$			
A) {24}	B) {14}	C) {-14}	D) {-24}
Answer: A			
$47) \frac{V}{-4} = 5$			
A) {-20}	B) {20}	C) {9}	D) {-9}
Answer: A			
48) $4x = 36$			
A) {32}	B) $\left\{\frac{1}{9}\right\}$	C) {144}	D) {9}
Answer: D	ĹĴ		
49) - 19x = 0			T 1 (0)
A) {1} Answer: D	B) {19}	C) {-19}	D) {0}
Answer. D			
50) $3a = -21$	D) (7)	C (24)	
A) {-24} Answer: B	B) {-7}	C) {24}	D) {1}
51) -7x = -63 A) {-56}	B) {9}	C) {56}	D) {2}
Answer: B	2)()		-)(-)
52) - 72x = 16			
$A) \left\{ \frac{2}{9} \right\}$	B) $\left\{-\frac{2}{9}\right\}$	C) $\left\{\frac{9}{2}\right\}$	D) $\left\{-\frac{9}{2}\right\}$
()	-' { 9}	$2 \int \left\{ 2 \right\}$	
Answer: B			

53) $-\frac{1}{7}x = 3$ A) {-4} Answer: D	B) {-1}	C) {-5}	D) {-21}
54) $16 = -\frac{4}{5}x$ A) $\left\{-\frac{76}{5}\right\}$ Answer: C	B) $\left\{-\frac{84}{5}\right\}$	C) {- 20}	D) $\left\{-\frac{64}{5}\right\}$
$55) \frac{9}{10} x = 81$ A) $\left\{ \frac{801}{10} \right\}$ Answer: D	$B)\left\{\frac{729}{10}\right\}$	$C)\left\{\frac{819}{10}\right\}$	D) {90}
$56) - \frac{1}{2}m = -\frac{2}{9}$ $A) \left\{\frac{9}{4}\right\}$ Answer: D	B) $\left\{\frac{4}{3}\right\}$	C) $\left\{-\frac{4}{9}\right\}$	D) $\left\{\frac{4}{9}\right\}$
57) $8x + x = 45$ A) $\left\{\frac{23}{4}\right\}$ Answer: C	B) $\left\{\frac{45}{8}\right\}$	C) {5}	D) {4}
58) -9x + x = -80 A) {11} Answer: B	B) {10}	C) {-10}	D) {-11}
59) 2x + 13x = 17 A) {2} Answer: C	B) $\left\{\frac{15}{17}\right\}$	C) $\left\{\frac{17}{15}\right\}$	D) {255}
Solve the equation. 60) -x = -4 A) {-1} Answer: B	B) {4}	C) {-4}	D) {0}
61) -x = 14 A) {0} Answer: C	B) {-1}	C) {-14}	D) {14}

Solve	the equation using both the addition	tion and multiplication prop	erties of equality.	
	62) 8r + 7 = 47 A) {32}	B) {36}	C) {5}	D) {1}
	Answer: C			
	63) 8n - 9 = 39			
	A) {44}	B) {40}	C) {13}	D) {6}
	Answer: D			
	64) $15 = -3x + 9$			
	A) {13}	B) {14}	C) {-2}	D) {9}
	Answer: C			
	65) $1 = -2x - 5$			
	A) {8}	B) {4}	C) {-3}	D) {12}
	Answer: C			
	66) -6x - 23 = -95			
	A) {-66}	B) {12}	C) {-12}	D) $\left\{ \frac{59}{3} \right\}$
	Answer: B			
	67) $-31 = -4x + 1$			
	A) {32}	B) {28}	C) {8}	D) {-8}
	Answer: C			
	68) -7x = -75 + 8x			
	A) {-60}	B) {-5}	C) {6}	D) {5}
	Answer: D			
	69) 10y - 9 = 7y			
	A) $\left\{-\frac{9}{17}\right\}$	B) $\left\{ \frac{9}{17} \right\}$	C) {3}	D) {-3}
	17	^D {17}		<i>D</i>) (-0)
	Answer: C			
	70) -4y + 24 = -7y			
	A) {8}	B) {-8}	$\left(\sum \frac{24}{24} \right)$	D $\left[-\frac{24}{24}\right]$
	A) (0)	D) (-0)	C) $\left\{\frac{24}{11}\right\}$	$D)\left\{-\frac{24}{11}\right\}$
	Answer: B			
	71) 13x - 9 = 10x + 3			
	A) {5}	B) {4}	C) {7}	D) {2}
	Answer: B			
	72) 2y + 7 = -5 - 4y			
		B) $\left(-\frac{1}{2}\right)$	C) {-2}	D) {- 1}
	A) $\left\{\frac{1}{2}\right\}$	B) $\left\{-\frac{1}{2}\right\}$	<) \ }	
	Answer: C			

73) 10x - 7 = 89 - 2x			
A) {-8}	B) { 12 }	C) {8}	D) $\left\{ \frac{41}{4} \right\}$
Answer: C			
74) $3x - 8x + 2 = 8x$			<i>.</i>
A) $\left\{-\frac{2}{13}\right\}$	B) $\left\{\frac{2}{3}\right\}$	C) $\left\{-\frac{13}{2}\right\}$	D) $\left\{ \frac{2}{13} \right\}$
Answer: D	ĊĴ	()	
Use the given information to wri equation and find the number.	te an equation. Let x represer	nt the number described in	the exercise. Then solve the
75) The product of three-fe			
A) $\frac{3}{4} = 6x; \frac{1}{8}$	B) $\frac{3}{4} - x = 6; \frac{-21}{4}$	C) $\frac{3}{4} + x = 6; \frac{21}{4}$	D) $\frac{3}{4}x = 6; 8$
Answer: D			
76) If thirty is divided by a	number, the result is five.		
A) $30 - x = 5; 25$	B) $\frac{x}{30} = 5;150$	C) $\frac{30}{x} = 5; 6$	D) $\frac{30}{5} = x; 6$
Answer: C			
77) A number subtracted fr A) 18 – x = 4; 14	rom eighteen is four. B) 18 + x = 4; -14	C) x - 18 = 4; 22	D) 18 – 4 = x; 14
Answer: A	_,,,	_,,,	_ , _ z ,
Solve the problem.			1
78) The time it takes to trav	vel a given distance at constan	t speed is given by the form	ula $t = \frac{d}{r}$, where t is the time, d
is the distance, and r is A) 24 mi	the rate of travel. At 30 miles j B) 120 mi	per hour, what distance can C) 240 mi	be traveled in 4 hours? D) 60 mi
Answer: B			
79) The time it takes to trav	vel a given distance at constan	t speed is given by the form	ula t = $\frac{d}{r}$, where t is the time, d
is the distance, and r is A) 12 mi	the rate of travel. At 0.6 mile p B) 24 mi	per minute, what distance ca C) 2.4 mi	n be traveled in 20 minutes? D) 6 mi
Answer: A	2) 21 111	C) 2 .1 mi	2)011
80) To convert meters to fe	et, you can use the formula f =	$\frac{m}{0.3038}$, where f is the dista	nce in feet and m is the
	w many meters (to the nearest		
A) 30.4 m	B) 3.0 m	C) 32.9 m	D) 3.3 m
Answer: B			

81	81) Power is the time rate of doing work and is commonly measured in watts. Power is given by the formula			
	$P = \frac{W}{t}$, where P is power, W is work (in joules), and t is time in seconds. If 900 watts of power are used in 10			
	seconds, how much work (in je A) 90 joules	oules) was done? B) 9 joules	C) 900 joules	D) 9000 joules
	Answer: D			
82) The speed of a ball dropped fr number of seconds since the b			
	A) 246 ft/sec	B) 8 ft/sec	C) 32 ft/sec	D) 256 ft/sec
	Answer: D			
83) The formula C = 412x + 181 m dollars. How many units can b	be produced for a cost of \$164		-
	A) 800 units	B) 300 units	C) 200 units	D) 400 units
	Answer: D			
84) The weekly production cost C dollars. What is the cost of pro		s is given by $C = 32 + 5x$, whe	ere the variable C is in
	A) \$298.00	B) \$1330.00	C) \$1362.00	D) \$8517.00
	Answer: C			
	e equation.) 6 - 9x = 5x - 8x - 12			
	A) {1}	B) $\left\{\frac{1}{2}\right\}$	C) {2}	D) {3}
	Answer: D			
86) $7x - 9x - 10x = -9 - 99$			
	A) {9}	B) $\left\{\frac{45}{4}\right\}$	$C) \int \frac{33}{33}$	$D)\int \frac{99}{2}$
		$\left\{ 4 \right\}$	-7 $\left\{ 4 \right\}$	-' <u>\</u> 8
	Answer: A			
87	(7) -4a + 2 + 5a = 14 - 26 A) $\{-14\}$	B) {42}	C) {-42}	D) {14}
	Answer: A	, , ,		
88	(-6b + 9 + 4b = -3b + 14) A) $\{-14\}$	R) (5)	() [14]	
	Answer: B	B) {5}	C) {14}	D) {-9}
89	$\begin{array}{l} 8x - 4 + 5x = 9x + 68 - 4x \\ A) \{9\} \end{array}$	B) {8}	C) {10}	D) {11}
	Answer: A			
90	-9(x+8) = -45			
20	A) {-53}	B) {-37}	C) {-3}	D) {13}
	Answer: C			

91) $5(4x - 1) = 20$ A) $\left\{\frac{19}{20}\right\}$ Answer: C	B) $\left\{\frac{3}{4}\right\}$	C) $\left\{\frac{5}{4}\right\}$	D) $\left\{\frac{21}{20}\right\}$
92) 7x - (4x + 9) = 15 A) {10} Answer: D	B) {9}	C) {7}	D) {8}
93) 3(5t – 19) – 7 = 71 A) {8} Answer: B	B) {9}	C) {10}	D) {11}
94) 3x - 7 = 4(x + 8) A) {-25} Answer: C	B) {39}	C) {-39}	D) {25}
95) 3(4x + 1) - 5 = 10x - 4 A) {1} Answer: D	B) {-2}	C) {-4}	D) {-1}
96) 2(y + 6) = 3(y - 5) A) {3} Answer: C	B) {-3}	C) {27}	D) {-27}
97) 2(2z - 4) = 3(z + 3) A) {3} Answer: C	B) {1}	C) {17}	D) {-1}
98) $2x - 6 + 2(x + 1) = -5x - 1$ A) $\left\{\frac{1}{3}\right\}$ Answer: A	B) {-5}	C) $\left\{-\frac{1}{8}\right\}$	D) $\left\{-\frac{9}{10}\right\}$
99) 4(4x + 3) - 7 = 10x - 1 A) {-1} Answer: A	B) {-6}	C) {1}	D) {-36}
100) 8 - 2(y - 1) = 1 - 7y A) $\left\{ -\frac{11}{9} \right\}$ Answer: B	B) $\left\{-\frac{9}{5}\right\}$	C) {- 1}	D) $\left\{-\frac{6}{5}\right\}$
101) 5(x + 2) + 13 = 2(x + 5) + 10 A) {11} Answer: D	B) {9}	C) {13}	D) {-1}

102) 7 - 3(x + 5) = 9 - 5(x + 3) A) {17} Answer: B	B) {1}	C) {12}	D) {7}
103) 16 - (2y - 2) = 3(y - 2) + 3y A) {3}	B) {6}	C) {2}	D) $\left\{\frac{1}{3}\right\}$
Answer: A			
104) 3x + 5(-2x - 4) = -21 - 6x A) {1}	B) {41}	C) {- 1}	D) $\left\{\frac{41}{13}\right\}$
Answer: A			
105) $\frac{f}{2} - 4 = 1$ A) {-6} Answer: D	B) {-10}	C) {6}	D) {10}
106) $\frac{a}{2} - \frac{1}{2} = -2$ A) {5} Answer: D	B) {3}	C) {-5}	D) {-3}
107) $\frac{2x}{5} - \frac{x}{3} = 5$ A) {-75} Answer: C	B) {150}	C) {75}	D) {-150}
108) $\frac{1}{4}x - \frac{3}{8}x = 4$ A) {32} Answer: B	B) {-32}	C) {-28}	D) {28}
$109) \frac{5}{6} + \frac{1}{7}x = 1$ $A) \left\{ -\frac{24}{7} \right\}$ Answer: B	B) $\left\{\frac{7}{6}\right\}$	C) $\left\{-\frac{14}{3}\right\}$	$D)\left\{-\frac{7}{6}\right\}$
110) $\frac{x}{3} - \frac{x}{4} = 5$ A) $\{60\}$ Answer: A	B) {15}	C) {12}	D) {20}

111) $\frac{x}{9} = \frac{x}{4} + \frac{1}{9}$ A) $\left\{-\frac{1}{9}\right\}$ Answer: C	B) {0}	C) $\left\{-\frac{4}{5}\right\}$	$D)\left\{-\frac{5}{4}\right\}$
112) $\frac{1}{3} - \frac{x}{5} = \frac{1}{15}$ A) $\left\{\frac{4}{3}\right\}$ Answer: A	B) $\left\{-\frac{4}{5}\right\}$	C) $\left\{-\frac{4}{3}\right\}$	D) $\left\{\frac{4}{5}\right\}$
113) $\frac{13}{14}x + \frac{1}{7} = \frac{6}{7}x$ A) {2} Answer: B	B) {-2}	C) {-14}	D) {14}
114) $\frac{x}{3} + 1 = \frac{x}{4} + 8$ A) $\left\{-\frac{7}{12}\right\}$ Answer: B	B) {84}	C) {- 84}	$D)\left\{\frac{7}{12}\right\}$
$115) \frac{3x}{5} + 3 = \frac{1}{3}$ A) $\left\{\frac{5}{3}\right\}$ Answer: D	B) $\left\{-\frac{44}{9}\right\}$	C) $\left\{\frac{4}{9}\right\}$	$D)\left\{-\frac{40}{9}\right\}$
116) $\frac{r}{3} + \frac{6}{3} = \frac{r}{6} + \frac{8}{6}$ A) {4} Answer: B	B) {-4}	C) {-12}	D) {3}
117) $\frac{x+4}{3} + \frac{x-2}{4} = \frac{17}{12}$ A) {0} Answer: D	B) $\left\{\frac{15}{2}\right\}$	C) {17}	D) {1}
118) 1.1x + 19.2 = 2.7x A) {-21} Answer: B	B) {12}	C) {7.5}	D) {7.1}
119) 1.1 - 3x = -4.5 - 1.6x A) {2.4} Answer: B	B) {4}	C) {1.9}	D) {-7}

120) 1.3x + 3.3 = 0.8x - 0.35 A) {-8.03} Answer: C	B) {-7.4}	C) {-7.3}	D) {0.137}
121) 0.83x + 0.87(14 - x) = 11.9 A) {-0.07} Answer: C	B) {0.07}	C) {7}	D) {-7}
122) 0.07y + 0.13(700 – y) = 0.19y A) {22.75} Answer: C	B) {728}	C) {364}	D) {227.5}
123) 0.80x - 0.60(x + 50) = -0.48(50) A) {15} Answer: B	B) {30}	C) {20}	D) {40}
124) 0.4(x + 80) + 0.46(x + 15) = -42.8 A) {65} Answer: C	8 B) {95}	C) {-95}	D) {-65}

Solve the equation. Use words or set notation to identify equations that have no solution, or equations that are true for all real numbers.

125) $4(x + 5) = 4x + 20$ A) $\{0\}$ C) $\{40\}$ Answer: B	B) {x∣x is a real number} D) ∅
126) $2(x + 6) = 2x - 24$ A) \emptyset C) {24} Answer: A	B) {0} D) {x x is a real number}
127) $-8x + 8 + 6x = -2x + 13$ A) \emptyset C) {5} Answer: A	B) {x x is a real number} D) {-8}
128) $5x - 4 + 5x + 6 = 3x + 7x - 1$ A) {160} C) {x x is a real number} Answer: D	B) {0} D) ∅
129) -3(x + 7) + 33 = 3x - 6(x + 5) A) {63} C) {3} Answer: B	B) Ø D) {x x is a real number}

Answer: D

$138)\frac{2x}{5} - \frac{x}{3} + 4 = 4 + x$	
A) Ø	B) {60}
C) $\{x \mid x \text{ is a real number}\}$	D) {0}
Answer: D	
$139)\frac{1}{4}x - \frac{3}{8}x = 4$	
A) $\{x \mid x \text{ is a real number}\}$	B) {32}
C) Ø	D) {-32}
Answer: D	

Use the given information to write an equation. Let x represent the number described in the exercise. Then solve the equation and find the number.

140) Four times a number added to 7 times the number equals 44. Find the number.A) 4(x + 7) = 44x; 0.7B) 4x - 7x = 44; -6.3C) 4x + 7x = 44; 4D) 4x(7 + x) = 44; 6.3

141) When 4 times a number is subtracted from 7 times the number, the result is 21. Find the number. A) 4x + 7x = 21; 3 B) 7x - 4x = 21; 7 C) 4(x - 7) = 21x; 0.6 D) 4x(7 - x) = 21; -7 Answer: B

142) If 6 times a number is added to -3, the result is equal to 9 times the number. Find the number.
A) 15x - 9x = 3; 1
B) 6x + (-3) = 9x; -1
C) 9(6x - 3) = -3; -1
D) 4x + (-3) = 9x; 1
Answer: B

143) Three-fourths of a number is $\frac{7}{8}$. Find the number in lowest terms.

A) $\frac{3}{4}x = \frac{7}{8}; \frac{7}{6}$ B) $\frac{3}{4}x = \frac{7}{8}; \frac{28}{24}$ C) $\frac{3}{4}x = \frac{7}{8}; \frac{1}{7}$ D) $\frac{3}{4}x = \frac{7}{8}; \frac{21}{32}$

Answer: A

Answer: C

144) The sum of four times a number and 8 is equal to the difference of twice the number and 1. Find the number.

A) $4x + 8 = 2x - 1; -\frac{9}{2}$	B) $4(x + 8) = 2x - 1; -\frac{33}{2}$
C) $4x + 8 = 2x + 1; -\frac{7}{2}$	D) $4x + 8 = 2x - 1; \frac{9}{2}$

Answer: A

Solve the problem.

145) Forensic scientists use the lengths of certain bones to calculate the height of a person. When the femur (the bone from the knee to the hip socket) is used, the following formula applies for men: h = 69.09 + 2.24f, where h is the height and f is the length of the femur (both in centimeters). Find the height of a man with a femur measuring 66 centimeters.

A) 1.38 cm	B) 135.09 cm	C) 216.93 cm	D) 4707.78 cm
Answer: C			

	6	correspondence between wo 12), where S is the size in Ital		
-	'S size for an Italian siz	-	C) 7	D) 3.5
Answer	: C			
	if a person is caught d	e determined by the formula l riving x miles per hour. If the		
A) 77	-	B) 89 mph	C) 81 mph	D) 79 mph
Answer	: D			
148) To conv	ert a Fahrenheit tempe	erature to Celsius, one formul	a to use is $F = \frac{9}{5}C + 32$, where	e F is the Fahrenheit
	ture (in degrees) and (when Fahrenheit temp	C is the Celsius temperature. perature is 77°?	_	ure (to the nearest
A) 14		B) 39°	C) 171°	D) 25°
Answer	: D			
Solve the formula	for the specified vari	able.		
149) A = $\frac{1}{2}$ bl				
A) b =	$=\frac{h}{2A}$	B) $b = \frac{2A}{h}$	C) $b = \frac{Ah}{2}$	D) $b = \frac{A}{2h}$
Answer	: B			
	$h + 2\pi r^2$ for h			
A) h =	$=\frac{S}{2\pi r}-1$	B) $h = S - r$	C) $h = 2\pi(S - r)$	D) h = $\frac{S - 2\pi r^2}{2\pi r}$
Answer	: D			
151) V = $\frac{1}{3}$ Bł	n for h			
A) h =	$=\frac{B}{3V}$	B) $h = \frac{V}{3B}$	C) h = $\frac{3V}{B}$	D) h = $\frac{3B}{V}$
Answer	: C			
	s ₂ + s ₃ for s ₃			
	$= s_1 + s_2 - P$	B) $s_3 = s_1 + P - s_2$	C) $s_3 = P + s_1 + s_2$	D) $s_3 = P - s_1 - s_2$
Answer	: D			
153) F = $\frac{9}{5}$ C	+ 32 for C			
A) C	$=\frac{5}{9}(F-32)$	B) C = $\frac{F - 32}{9}$	C) C = $\frac{5}{F - 32}$	D) C = $\frac{9}{5}$ (F - 32)
Answer	: A			


154) $d = rt$ for t A) $t = d - r$	B) $t = \frac{d}{r}$	C) $t = \frac{r}{d}$	D) t = dr
Answer: B 155) $P = 2L + 2W$ for L A) $L = \frac{P - 2W}{2}$ Answer: A	B) L = $\frac{P - W}{2}$	C) L = d - 2W	D) L = P - W
Solve the equation for y. 156) $2x + y = 4$ A) $y = 2 - x$ Answer: D	B) $y = \frac{4 - x}{2}$	C) y = 2x + 4	D) y = 4 - 2x
157) 19x + 9y = 14 A) y = 19x - 14 Answer: B	B) $y = \frac{14 - 19x}{9}$	C) $y = \frac{19 + 14x}{9}$	D) $y = \frac{14 + 19x}{9}$
158) x = 3y + 2 A) y = $\frac{x - 2}{3}$ Answer: A	B) $y = \frac{1}{3}x - 2$	C) $y = x - \frac{2}{3}$	D) y = 3x - 2
159) $-5x + 20y = 0$ A) $y = \frac{x}{4}$ Answer: A	B) y = -4x	C) y = 4x	D) y = 4x + 5
Use the percent formula, $A = PB$: A is F	Percent of B, to solve.		
160) What number is 2% of 130? A) 0.26 Answer: D	B) 260	C) 26	D) 2.6
161) What number is 60% of 18? A) 10.8 Answer: A	B) 1080	C) 108	D) 1.08
162) What number is 37% of 90? A) 333	B) 3.33	C) 3330	D) 33.3
Answer: D 163) 30% of what number is 1.8? A) 54 Answer: B	B) 6	C) 0.54	D) 0.06

	164) What percent of 0.2 is 0.6? A) 300%	B) 0.12%	C) 12%	D) 3%
	Answer: A			
	165) 1200 is what percent of 300? A) 4%	B) 0.4%	C) 25%	D) 400%
	Answer: D			
	166) 24% of what number is 28.8? A) 12	B) 120	C) 1200	D) 1.2
	Answer: B			
	167) What percent of 2.5 is 0.2? A) 4%	B) 0.8%	C) 8%	D) 80%
	Answer: C			
	168) 88 is 10% of what number? A) 8800	B) 880	C) 88	D) 8.8
	Answer: B			
	169) 22 is 1% of what number? A) 2200	B) 220	C) 22,000	D) 22
	Answer: A			
	170) 10% of what number is 93? A) 9300	В) 930	C) 9.3	D) 93
	Answer: B			
Solv	e the problem.			
	171) Jeans are on sale at the local d	-	f the jeans originally cost \$54	, find the sale price.
	(Round to the nearest cent, if 1 A) \$70.20	necessary.) B) \$37.80	C) \$52.38	D) \$16.20
	Answer: B	, .	, .	, .
	172) Sales at a local ice cream shop find the number of ice cream of A) 12,900 ice cream cones C) 30,100 ice cream cones Answer: D			
	173) Attendance this year at the ho homecoming football game at if necessary.)	tendance was 37,000, what is	this year's attendance? (Rour	nd to the nearest integer,
	A) 492,100 people	B) 49,210 people	C) 278 people	D) 3595 people
	Answer: B			
	174) Of the 60 students in an algebra algebra students received an H A) 12%			
	Answer: C	,		, / •

175) 10% of students at a university attended a lecture. If 3000 students are enrolled at the university, about how many students attended the lecture?

A) 3000 students B) 30,000 students C) 300 students D) 30 students Answer: C

The pie chart below shows the number of pizzas consumed by college students in a typical month. Use the chart to answer the question.



180) If State University has appro pizzas in a typical month?	ximately 47,000 students, a	about how many would you	expect to consume 5-6
A) 15,980 students	B) 1598 students	C) 846 students	D) 8460 students
Answer: D			
Solve the problem. 181) Due to a lack of funding, the year. Find the percent decrea	ase in enrollment. (Round t	to the nearest tenth of a perc	ent, if necessary.)
A) 55.6%	B) 180%	C) 80%	D) 44.4%
Answer: D			
182) If 3 is increased to 6, the incr	ease is what percent of the	original number?	
A) 10%	B) 1%	C) 0.01%	D) 100%
Answer: D			
183) If 10 is decreased to 5, the de	ecrease is what percent of t	he original number?	
A) 0.5%	B) 50%	C) 5%	D) 0.005%
Answer: B			
Let x represent the number. Write the 184) The product of 10 and a num	ber, added to 16.		
A) 160 + x	B) 10 + 16x	C) 160x	D) 16 + 10x
Answer: D			
185) Ten times a number, decreas	ed by 67.		
A) 10(x - 67)	B) 10x + 67	C) 10x – 67	D) 10(x + 67)
Answer: C			
186) The quotient of 29 and the p	roduct of a number and -1	0.	
A) $\frac{29}{-10x}$	B) $\frac{29}{x} - 10$	C) $\frac{-10x}{29}$	D) -290x
/ –10x	Ύ Χ	29	,
Answer: A			
187) The product of -38 and the s A) -38 + 8x	um of a number and 8. B) –304x	C) -38x + 8	D) -38(x + 8)
Answer: D			
188) Twice the sum of a number a	and –10.		
A) 2(x + (-10))	B) 2x + (-10)	C) 2+ x + (-10)	D) 2x - (-10)
Answer: A			
189) The quotient of 28 times a nu	umber and -3.		
A) $\frac{28x}{-3}$	B) $\frac{1}{-84x}$	C) 28x + 3	D) 28x – 3
-3	-84x	C/ 201 + 0	$D_{j} 20 \lambda = 0$

Answer: A

190) Four times a number decreased by one-half of the same number.

A) $4x - \frac{x}{2}$ B) $4x - \frac{1}{2}$ C) $\frac{x}{2} - 4x$ D) $4(x - \frac{1}{2})$

Answer: A

Let x represent the number. Use the given conditions to write an equation. Solve the equation and find the number. 191) Four times a number added to 9 times the number equals 65. Find the number.

A) 4x + 9x = 65; 5Answer: A B) 4(x + 9) = 65x; 0.6C) 4x - 9x = 65; -7.2D) 4x(9 + x) = 65; 7.2

192) When 4 times a number is subtracted from 7 times the number, the result is 30. Find the number. A) 4(x - 7) = 30x; 0.9 B) 4x(7 - x) = 30; -10 C) 4x + 10x = 30; 3 D) 7x - 4x = 30; 10 Answer: D

 193) If 6 times a number is added to -6, the result is equal to 12 times the number. Find the number.

 A) 12(6x - 6) = -6; -1 B) 6x + (-6) = 12x; -1 C) 4x + (-6) = 12x; 1 D) 18x - 12x = 6; 1

Answer: B

194) Three-fourths of a number is $\frac{5}{6}$. Find the number in lowest terms.

A) $\frac{3}{4}x = \frac{5}{6}; \frac{5}{8}$ B) $\frac{3}{4}x = \frac{5}{6}; \frac{20}{18}$ C) $\frac{3}{4}x = \frac{5}{6}; \frac{10}{9}$ D) $\frac{3}{4} + x = \frac{5}{6}; \frac{1}{10}$

Answer: C

195) The sum of four times a number and 4 is equal to the difference of twice the number and 8. Find the number. A) 4x + 4 = 2x - 8; - 6B) 4x + 4 = 2x + 8; 2

C) $4(x + 4) = 2x - 8; -12$	D) $4x + 4 = 2x - 8; 6$
Α	

Answer: A

Solve the problem.

- 196) The president of a certain university makes three times as much money as one of the department heads. If the total of their salaries is \$270,000, find each worker's salary.
 - A) president's salary = \$135,000; department head's salary = \$67,500
 - B) president's salary = \$20,250; department head's salary = \$6750
 - C) president's salary = \$202,500; department head's salary = \$67,500
 - D) president's salary = \$67,500; department head's salary = \$202,500

Answer: C

- 197) 30 marbles are to be divided into three bags so that the second bag has three times as many marbles as the first bag and the third bag has twice as many as the first bag. If x is the number of marbles in the first bag, find the number of marbles in each bag.
 - A) 1st bag = 5 marbles; 2nd bag = 10 marbles; 3rd bag = 15 marbles
 - B) 1st bag = 6 marbles; 2nd bag = 18 marbles; 3rd bag = 12 marbles
 - C) 1st bag = 5 marbles; 2nd bag = 15 marbles; 3rd bag = 10 marbles
 - D) 1st bag = 6 marbles; 2nd bag = 14 marbles; 3rd bag = 10 marbles


Answer: C

198) A promotional deal for lor Joe's phone bill was \$66 u		arges a \$15 basic fee plus \$0.0 ow many minutes of phone o	-
the nearest integer, if nece	-		
A) 3 minutes	B) 1020 minutes	C) 1620 minutes	D) 10 minutes
Answer: B			
199) Two angles are compleme second angle is (3x – 2)°, fi	ntary if their sum is 90°. If th nd the measure of each angle	-	s x°, and the measure of the
A) 1st angle = 23° ; 2nd a	$ngle = 67^{\circ}$	B) 1st angle = 22°; 2nd	$angle = 68^{\circ}$
C) 1st angle = 22°; 2nd a	$ngle = 64^{\circ}$	D) 1st angle = 31°; 2nd	$angle = 59^{\circ}$
Answer: A			
200) Rooms in Dormitory A eac each room in Dormitory B	-	or space. These rooms have t ce does a room in Dormitory	-
A) 126 sq. feet	B) 122 sq. feet	C) 248 sq. feet	D) 62 sq. feet
Answer: D			
The sum of the angles of a	e other two identical angles, triangle is 180°.)	find the measure of one of th	e identical angles. (Hint:
A) 58°	B) 24°	C) 117°	D) 78°
Answer: D			
-	d the number of juniors in th	e class.	
A) 86 sophomores; 58 ju		B) 43 sophomores; 29 j	
C) 72 sophomores; 58 ju	niors	D) 29 sophomores; 43 j	uniors
Answer: B			
-	ny whole miles can you driv	ve if you only have \$200 to sp	pend?
A) 342 miles	B) 285 miles	C) 100 miles	D) 9 miles
Answer: B			
204) A 12-ft. board is cut into 2 piece is x feet long, find th		feet longer than 3 times the s	horter piece. If the shorter
A) shorter piece: 2 ft.; lo	nger piece: 10 ft.	B) shorter piece: 32 ft;	longer piece: 36 ft.
C) shorter piece: 6 ft; lo	nger piece: 36 ft.	D) shorter piece: 12 ft;	longer piece: 40 ft.
Answer: A			
e a formula for perimeter or area	to solve the problem.		
205)	-		
8 in			
2 in Rectangle 2 in			

8 in			
Find the perimeter of	the figure.		
A) 10 in	B) 20 in	C) 12 in	D) 8 in
Answer: B			

Use

206) 4.5 yd 4.5 yd 4.5 yd Square 4.5 yd Find the perimeter of the figure. C) 9 yd A) 18 yd B) 28 yd D) 40.5 yd Answer: A 207) 15 m 4 m 17 m Find the area of the triangle. C) 68 m² D) 34 m² A) 30 m² B) 127.5 m² Answer: D 208) 19.5 mi 7.5 mi 18 mi Find the area of the triangle. C) 67.5 mi² A) 45 mi² B) 135 mi² D) 73.125 mi² Answer: C 209) 0.06 ft 0.3 ft Find the area of the rectangle. A) 0.18 ft² B) 0.72 ft² C) 0.018 ft² D) 0.36 ft² Answer: C



Solve.

215) To trim the edges of a rectangular table cloth, 30 feet of lace are needed. The length of the table cloth is exactly one-half its width. What are the dimensions of the table cloth?

A) length: $2\frac{1}{2}$ feet; width: 5 feet	B) length: 10 feet; width: 5 feet
C) length: 10 feet; width: 20 feet	D) length: 5 feet; width: 10 feet
Answer: D	

216) A rectangular carpet has a perimeter of 186 inches. The length of the carpet is 63 inches more than the width. What are the dimensions of the carpet?


A) 85.5 by 93 inches	B) 54 by 69 inches	C) 78 by 93 inches	D) 78 by 15 inches
Answer: D			

217) The length of a rectangular room is 5 feet longer than twice the width. If the room's perimeter is 154 feet, what are the room's dimensions?

A) Width = 48 ft; length = 106 ft
C) Width = 24 ft; length = 53 ft

Answer: C

218)




B) Width = 36 ft; length = 41 ft	
D) Width = 29 ft; length = 63 ft	

The drawing shows the end of a building that is to be bricked. If the area of the side of a brick used is $\frac{1}{8}$ sq. ft,

find the number of bricks needed to completely cover the side of the building.

A) 1600 bricks B) 1920 bricks C) 25 bricks D) 200 bricks


Answer: A



A homeowner wants to know how much grass seed to buy. First the size of the yard must be determined. Use the drawing to determine how many square feet are in the yard.


A) 9116 ft² B) 5110 ft² C) 4006 ft² D) 4706 ft² Answer: C

Use the formula for the area or circumference of a circle to solve the problem. Where applicable, express answers in terms of π .



Find the area of the circle.B) $121\pi \text{ cm}^2$ C) $22\pi \text{ cm}^2$ D) $44\pi \text{ cm}^2$ Answer: B

221)




Give the exact circumference. A) 39π units B) 1521π units

C) 78π units


D) 19.5 π units

Answer: A




Solve.


- 225) Which one of the following is a better buy: a 14-inch pizza for \$10 or two 6-inch pizzas for \$9. A) 14-in. pizza B) two 6-in. pizzas C) equivalent buys Answer: A
- 226) Find the area of the skating rink. Use π = 3.14 and round to the nearest tenth.




227) Find the area of the window. Use π = 3.14 and round to the nearest tenth.




228) The rectangular part of the field shown below is 152 yd long and the diameter of each semicircle is 12 yd. Find the cost of fertilizing the field at \$0.50 per square yard. Use $\pi = 3.14$ and round to the nearest cent.




Find the volume of the figure. Where applicable, express answers in terms of π . 229)




230)







231)






Answer: A

232)				
A) 1372π cm ³ Answer: B	B) 12,348π cm ³	C) 37,044π cm ³	D) 9261π cm ³	
233)				
3 m 2 m				
A) $6\pi \mathrm{m}^3$	B) 2π m ³	C) 12π m ³	D) $4\pi \mathrm{m}^3$	
Answer: D				
Solve. 234) A water reservoir is shaped like a rectangular solid with a base that is 6 meters by 2 meters, and a vertical height of 9 meters. How much water is in the reservoir if it is completely full?				
A) 324 m ³ Answer: C	B) 24 m ³	C) 108 m ³	D) 162 m ³	
235) Find the volume of an aluminum can that has a radius of 5 centimeters and a height of 13 centimeters. Use π = 3.14 and round to the nearest tenth.				
A) 4082 cm ³	B) 1020.5 cm ³	C) 408.2 cm ³	D) 204.1 cm ³	
Answer: B				
236) The outside of a water storage tank is in the shape of a sphere. If the radius is 19.4 feet, approximate the volume of the tank in cubic feet. Use π = 3.14 and round to the nearest hundredth, if necessary.				
A) 1181.77 ft ³	B) 30,568.46 ft ³	C) 1575.69 ft ³	D) 22,926.35 ft ³	
Answer: B				
Use the relationship among the three a	ngles of any triangle to solv	ve the problem.		
237) Two angles of a triangle are 1	0° and 50°. Find the third an	gle.	-	
A) 60°	B) 120°	C) 300°	D) 30°	
Answer: B				

238) Two angles of a triangle are A) 40°	39° and 91°. Find the third ang B) 50°	gle. C) 230°	D) 130°
Answer: B			
239) One of the base angles of an triangle has two equal base a	angles.)		-
A) 24°, 42° Answer: D	B) 24°, 312°	C) 24°, 48°	D) 24°, 132°
Answer: D			
240) One angle of a triangle is 3 t the smallest angle. Find the	measure of each angle.		
A) 35°, 105°, 40° Answer: B	B) 25°, 75°, 80°	C) 25°, 75°, 55°	D) 30°, 90°, 60°
Answer: D			
241) A triangle has angles of (4x) A) 53°, 59°, 68°	°, (3x + 8)°, and (2x + 19)°. Find B) 53°, 51°, 68°	l the measure of each angle. C) 17°, 59°, 68°	D) 17°, 53°, 68°
Answer: A			
Find the measure of the indicated ang 242) Find the measure of the com A) 333°		C) 153°	D) 63°
Answer: D			
243) Find the measure of the sup	plement of 32°.		
A) 148°	B) 328°	C) 238°	D) 58°
Answer: A			
244) Find the measure of the sup A) 227°	plement of 133°. B) 47°	C) not possible	D) 137°
Answer: B	,	, I	,
245) The angle's measure is 40° m			
A) 110°	B) 70°	C) 25°	D) 65°
Answer: D			
246) The angle's measure is 20° m A) 35°	nore than that of its supplemen B) 100°	nt. C) 55°	D) 80°
Answer: B			
247) The angle's measure is 20° -	one than triple that of its	lomont	
247) The angle's measure is 20° m A) 95°	B) 140°	C) 130°	D) 85°
Answer: B			


Graph the solution of the inequality on a number line.

248) x > -3







249) x < 2



250) x ≥ -3









Answer: C

252) $0 \le x \le 4$




Answer: D









Express the solution set of the inequality in interval notation.


255) x ≥ 4 A) (4, ∞) Answer: C	B) (-∞, 4]	C) [4, ∞)	D) (-∞, 4)
256) x > 22 A) [22, ∞) Answer: B	B) (22, ∞)	C) (-∞, 22]	D) (-∞, 22)
257) x > -5 A) [-5, ∞) Answer: D	B) (-∞, -5]	C) (-∞, - 5)	D) (-5, ∞)
258) x ≥ -18 A) (-∞, -18] Answer: D	B) (-∞, - 18)	C) (-18, ∞)	D) [-18, ∞)
259) x < 6 A) (6, ∞) Answer: C	B) [6, ∞)	C) (-∞, 6)	D) (-∞, 6]
260) x ≤ 11 A) (-∞, 11] Answer: A	B) [11, ∞)	C) (11, ∞)	D) (-∞, 11)
261) x ≤ -3 A) (-∞, -3) Answer: B	B) (-∞, -3]	C) [-3, ∞)	D) (-3, ∞)
262) x < −18 A) [−18, ∞) Answer: D	B) (-∞, -18]	C) (-18, ∞)	D) (-∞, −18)

$$263) x < \frac{4}{9}$$


$$A) \left[\frac{4}{9}, \infty \right] \qquad B) \left[-\infty, \frac{4}{9} \right] \qquad C) \left[-\infty, \frac{4}{9} \right] \qquad D) \left[\frac{4}{9}, \infty \right]$$
Answer: B
$$264) x \ge \frac{5}{4}$$

$$A) \left[-\infty, \frac{5}{4} \right] \qquad B) \left[-\infty, \frac{5}{4} \right] \qquad C) \left[\frac{5}{4}, \infty \right]$$
Answer: D

Use the addition property of inequality to solve the inequality and graph the solution set on a number line. 265) x + 6 ≤ -1




Answer: C




Answer: A






Answer: B




269) 4x - 5 > 3x - 10(1) (-15, ∞) (2) (-15, ∞) (2) (-22 -21 -20 -19 -18 -17 -16 -15 -14 -13 -12 -11 -10 -9 -8 B) (-5, ∞) (1) (-5, ∞) (2) (- ∞ , -5] (3) (- ∞ , -5] (4) (-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 C) (- ∞ , -5] (4) (-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 D) [-5, ∞) (4) (-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 D) [-5, ∞) (4) (-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 D) [-5, ∞) (4) (-12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2) Answer: B




Answer: B


271) 12x + 6 > 11x - 6



Answer: C




Answer: B



Answer: B

Use the multiplication property of inequality to solve the inequality and graph the solution set on a number line.

 $274)\,\frac{x}{3} \ge 5$ \rightarrow \leftarrow -----------+ A) (15, ∞) $\begin{array}{c|c} \leftarrow & + \\ 12 & 13 \end{array}$ 14 15 18 17 16 C) (-∞, 15) \leftarrow_{12} +> 18 13 14 16 17 15 Answer: D v 27



$$75) \frac{y}{3} \leq -7$$

$$(-\infty, -21]$$

$$(-\infty, -21]$$

$$(-\infty, -21]$$

$$(-24 -23 -22 -21 -20 -19 -18)$$

$$B) [-21, \infty)$$

$$(-24 -23 -22 -21 -20 -19 -18)$$


$$C) (-21, \infty)$$

$$(-24 -23 -22 -21 -20 -19 -18)$$

$$D) (-\infty, -21)$$


$$(-24 -23 -22 -21 -20 -19 -18)$$

Answer: A




 $(-\infty, -9]$ $(-\infty, -9]$ $(-\infty, -9]$ $(-\infty, -9)$ (-16 - 15 - 14 - 13 - 12 - 11 - 10 - 9 - 8 - 7 - 6 - 5 - 4 - 3 - 2) $B) [-9, \infty)$ (-16 - 15 - 14 - 13 - 12 - 11 - 10 - 9 - 8 - 7 - 6 - 5 - 4 - 3 - 2) $C) (-9, \infty)$ (-16 - 15 - 14 - 13 - 12 - 11 - 10 - 9 - 8 - 7 - 6 - 5 - 4 - 3 - 2) $D) (-\infty, -9)$ $(-\infty, -9)$ (-16 - 15 - 14 - 13 - 12 - 11 - 10 - 9 - 8 - 7 - 6 - 5 - 4 - 3 - 2)Answer: D

279) -6x > 96




Answer: D



Use both the addition and multiplication properties of inequality to solve the inequality. Graph the solution set on a number line.

281) 2x + 9 < 23 $+ + \rightarrow$ A) [7, ∞) -11-10-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11 B) (-∞, 7] -11-10-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11 ÷ C) (7, ∞) \leftarrow 8 9 10 11 -11-10-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 D) (-∞,7) 8 9 10 11 -11-10-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6

Answer: D




Answer: B


 $283) 9 - 3x \ge -6$ (-x, -1] $A) [5, \infty)$ (-x, -1] $A) [5, \infty)$ (-x, -1] $A) [5, \infty)$ (-x, -1) (-x, -1)

Answer: C


A) [4, ∞) -10 -8 -6 -4 -2 0 2 4 6 8 10 B) (-∞, 5] -10 -8 -6 -4 -2 0 6 8 10 4 2 C) (-∞, 4] -10 -8 -6 -4 -2 0 **≜** 4 6 2 D) (-∞, 4) -10 -8 -6 -4 -2 0 2 ↔ 10 4 6 8 Answer: C 285) $8x - 8 \le 3x - 13$




44




Answer: B





Answer: A











297) 3x ≤ 3(x + 9) A) (-∞, ∞) Answer: A	B) (-∞, 9]	C) Ø	D) (-∞, 3]
298) $6x - 5 ≥ 5(x - 1)$ A) (-∞, ∞) Answer: D	B) (-∞, 0]	C) Ø	D) [0, ∞)
299) −3(−3 − x) < 5x + 21 − 12 − 2x A) (-∞, ∞) Answer: C	B) (-∞, 0)	C) Ø	D) (-∞, 9)

Solve the problem.

300) Claire has received scores of 85, 88, 87, and 75 on her algebra tests. What is the minimum score she must receive on the fifth test to have an overall test score average of at least 83? (Hint: The average of a list of numbers is their sum divided by the number of numbers in the list.)

A) 80	B) 78	C) 81	D) 79

Answer: A

301) A certain car has a weight limit for all passengers and cargo of 1151 pounds. The four passengers in the car weigh an average of 160 pounds. Use an inequality to find the maximum weight of the cargo that the car can handle.

A) at most
$$\frac{1151}{2}$$
 lb B) at most 511 lb C) at most $\frac{1151}{160}$ lb D) at most 991 lb

Answer: B

302) A certain store has a fax machine available for use by its customers. The store charges \$2.05 to send the first page and \$0.60 for each subsequent page. Use an inequality to find the maximum number of pages that can be faxed for \$10.45

A) at most 55 pages	B) at most 5 pages	C) at most 17 pages	D) at most 14 pages
Answer: D			

303) An archery set containing a bow and three arrows costs \$74. Additional arrows can be purchased for \$10 each. Gerri has \$234 to spend on the set and additional arrows. Including the arrows in the set, what is the maximum total number of arrows Gerri can purchase?

A) at most 23 arrows	B) at most 16 arrows	C) at most 3 arrow(s)	D) at most 19 arrows
Answer: D			

- 304) When making a long distance call from a certain pay phone, the first three minutes of a call cost \$1.75. After that, each additional minute or portion of a minute of that call costs \$0.30. Use an inequality to find the maximum number of minutes one can call long distance for \$4.75. A) at most 10 min B) at most 13 min C) at most 16 min D) at most 3 min
 - Answer: B
- 305) It takes 23 minutes to set up a candy making machine. Once the machine is set up, it produces 15 candies per minute. Use an inequality to find the number of candies that can be produced in 2 hours if the machine has not yet been set up.

A) at most 1455 candies	B) at most 2415 candies
C) at most 30 candies	D) at most 690 candies
Answer: A	

Solve the equation. 306) -9x + 5 = -76 A) {3} Answer: D	B) {-72}	C) {-68}	D) {9}
307) $8x + 10 = 6x - 4$ A) $\{-7\}$ Answer: A	B) $\left\{\frac{7}{3}\right\}$	C) $\left\{\frac{1}{7}\right\}$	D) $\left\{-\frac{1}{7}\right\}$
308) -2x + 7(3x - 3) = 3 - 5x A) {- 1} Answer: D	B) $\left\{-\frac{3}{4}\right\}$	C) $\left\{-\frac{9}{7}\right\}$	D) {1}
309) 5(2y - 3) = 9(y + 4) A) {-21} Answer: D	B) {21}	C) {26}	D) {51}
310) $\frac{1}{8}x = 8$ A) {1} Answer: B	B) {64}	C) {15}	D) {16}
311) $\frac{x}{5} + \frac{6}{5} = \frac{x}{7} + \frac{8}{7}$ A) {1} Answer: B	B) {-1}	C) {-2}	D) {2}
312) 1.3 - 3.3x = -12.7 - 1.3x A) {4.6} Answer: B	B) {7}	C) {-16}	D) {4.2}

Solve the problem.

313) In one state, speeding fines are determined by the formula F = 6(x - 60) + 75, where F is the cost, in dollars, of the fine if a person is caught driving x miles per hour. If the fine comes to \$129, how fast was the person driving?

 A) 69 mph
 B) 79 mph
 C) 71 mph
 D) 67 mph

 Answer: A

 <

Solve the formula for the specified variable.

314) V = lwh for h


A) h = $\frac{Vl}{W}$	B) $h = \frac{lw}{V}$	C) $h = \frac{V}{lw}$	D) h = Vlw

Answer: C

315) w = $\frac{P - 2l}{2}$ for l			
A) $l = 2P - 4w$	B) $1 = \frac{2}{P - 2w}$	$C) l = \frac{P + 2w}{2}$	$D) l = \frac{P - 2w}{2}$
Answer: D			
Solve the problem.			
316) What is 9% of 50?			
A) 450	B) 0.45	C) 4.5	D) 45
Answer: C			
317) 21 is 150% of what?			
A) 31.5	B) 14	C) 0.14	D) 3150
Answer: B			
318) 1.8 is what percent of 2?			
A) 3.6%	B) 360%	C) 90%	D) 0.9%
Answer: C			
319) Four times a number added	to 7 times the number is 5	5. What is the number?	
A) 0.5	B) 7.9	C) -7.9	D) 5
Answer: D			
B) president's salary = \$1 C) president's salary = \$1	.000, find each worker's sal 5,000; department head's s 9,500; department head's s 95,000; department head's 30,000; department head's	salary = \$195,000 salary = \$6500 salary = \$65,000	
Answer: C			
321) A promotional deal for long Joe's phone bill was \$46 und the nearest integer, if necess	ler this promotional deal, l		\$0.05 per minute for all calls. If one calls did he make? Round to
A) 2 min	B) 620 min	C) 6 min	D) 1220 min
Answer: B			
322) A rectangular carpet has a p What are the dimensions of	the carpet?	с г	
A) length: 101 in.; width:		B) length: 124 in.;	
C) length: 124 in.; width:	98 in.	D) length: 98 in.; w	vidth: 26 in.
Answer: D			
323) Sales at a local ice cream sho find the number of ice crean A) 12,600 ice cream cones C) 5400 ice cream cones	n cones sold 5 years ago. R		when necessary. n cones
Answer: D		2, 10,010 fee erem	

Find the area of the figure. 324) 11 mi 5 mi 19 mi A) 27.5 mi² B) 104.5 mi² C) 95 mi² D) 47.5 mi² Answer: D 325) 10 units 11.9 units 12 units A) 261.8 units² B) 142.8 units² C) 130.9 units² D) 119 units² Answer: C 326) 29 m 18 m 36 m 14 m A) 720 m² B) 774 m² C) 792 m² D) 990 m² Answer: B


Find the volume of the figure. Where applicable, express answers in terms of π . 327)



	4 ft		
A) 20π ft ³	B) $100\pi {\rm ft}^3$	C) 25π ft ³	D) 100 ft ³
Answer: B he problem.			


-	ver a rectangular floor measurii box of 10 tiles costs \$16 per boy		re tiles that measure
A) \$560	B) \$1120	C) \$53	D) \$3360
Answer: B			
330) A sailboat has a triang of the sail.	ular sail with an area of 144 sq	uare feet and a base that meas	sures 12 feet. Find the height
A) 48 ft	B) 24 ft	C) 12 ft	D) 72 ft
Answer: B			
· · · · · ·	e is 2 times as large as another. d the measure of each angle.	The measure of the third ang	e is 100° greater than that of
A) 25°, 50°, 105°	B) 20°, 40°, 100°	C) 20°, 40°, 120°	D) 30°, 60°, 90°
Answer: C			
332) How many degrees ar	e there in an angle that measur	es 24° more than the measure	of its compliment?
A) 102°	B) 78°	C) 57°	D) 33°
Answer: C			

Express the solution set of the inequality in interval notation and graph the interval. 333) x > 4




Answer: A

334) x ≤ 1






Solve the inequality and graph the solution set on a number line.



Answer: C

Test Bank for Introductory Algebra for College Students 7th Edition by Blitzer IBSN 9780134189000

Full Download: http://downloadlink.org/product/test-bank-for-introductory-algebra-for-college-students-7th-edition-by-blitzer-ibsu



Solve the problem.

338) Claire received scores of 85, 88, 87, and 75 on her algebra tests. What score must she receive on the fifth test to have an overall test score average of at least 83?

A) at most 81	B) at least 80	C) at most 80	D) at least 81
Answer: B			

339) The length of a rectangle is 32 feet. For what widths is the perimeter less than 82 feet?		
A) widths less than 25 ft	B) widths less than 50 ft	
C) widths less than 18 ft	D) widths less than 9 ft	

Answer: D