### Test Bank for Pharmacotherapeutics for Nurse Practitioner Prescribers 3rd Edition by Moser Woo

Full Download: https://downloadlink.org/p/test-bank-for-pharmacotherapeutics-for-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practition-by-n

## **Chapter 3: Rational Drug Selection**

Multip Identify		Choice choice that best completes the statement or answers the question.
	1.	<ul> <li>An NP would prescribe the liquid form of ibuprofen for a 6 year old because:</li> <li>A. Drugs given in liquid form are less irritating to the stomach</li> <li>B. A 6 year old may have problems swallowing a pill</li> <li>C. Liquid forms of medication eliminate the concern for first-pass effect</li> <li>D. Liquid ibuprofen does not have to be dosed as often as tablet form</li> </ul>
	2.	In deciding which of multiple drugs used to use to treat a condition, the NP chooses Drug A because it:  A. Has serious side effects and it is not being used for a life-threatening condition  B. Will be taken twice daily and will be taken at home  C. Is expensive, and is not covered by health insurance  D. None of these are important in choosing a drug
	3.	<ul> <li>A client asks the NP about the differences in drug effects between men and women. What is known about the differences between the pharmacokinetics of men and women?</li> <li>A. Body temperature varies between men and women</li> <li>B. Muscle mass is greater in women</li> <li>C. Percentage of fat differs between genders</li> <li>D. Proven subjective factors exist between the genders</li> </ul>
	4.	The first step in the prescribing process according to the World Health Organization is:  A. Choosing the treatment  B. Educating the patient about the medication  C. Diagnosing the patient's problem  D. Starting the treatment
	5.	Treatment goals in prescribing should: A. Always be curative B. Be patient-centered C. Be convenient for the provider D. Focus on the cost of therapy
	6.	The therapeutic goals when prescribing include(s):  A. Curative B. Palliative C. Preventive D. All of the above
	7.	<ul> <li>When determining drug treatment the NP prescriber should:</li> <li>A. Always use evidence-based guidelines</li> <li>B. Individualize the drug choice for the specific patient</li> <li>C. Rely on his or her experience when prescribing for complex patients</li> <li>D. Use the newest drug on the market for the condition being treated</li> </ul>

8.	Patient education regarding prescribed medication includes:
	A. Instructions written at the high school reading level
	B. Discussion of expected adverse drug reactions
	C. How to store leftover medication such as antibiotics
	D. Verbal instructions always in English
 9.	Passive monitoring of drug effectiveness includes:
	A. Therapeutic drug levels
	B. Adding or subtracting medications from the treatment regimen
	C. Ongoing provider visits
	D. Instructing the patient to report if the drug is not effective
 10.	Pharmacokinetic factors that affect prescribing include:
	A. Therapeutic index
	B. Minimum effective concentration
	C. Bioavailability
	D. Ease of titration
 11.	Pharmaceutical promotion may affect prescribing. To address the impact of pharmaceutical
	promotion, the following recommendations have been made by the Institute of Medicine:
	A. Conflicts of interest and financial relationships should be disclosed by those providing education.
	B. Providers should ban all pharmaceutical representatives from their office setting.
	5. Troviders should ban an pharmaceutear representatives from their office setting.

C. Drug samples should be used for patients who have the insurance to pay for them,

D. Providers should only accept low-value gifts, such as pens and pads of paper, from

to ensure the patient can afford the medication.

the pharmaceutical representative.

### Test Bank for Pharmacotherapeutics for Nurse Practitioner Prescribers 3rd Edition by Moser Woo

Full Download: https://downloadlink.org/p/test-bank-for-pharmacotherapeutics-for-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practitioner-prescribers-3rd-edition-by-nurse-practition-by-n

# **Chapter 3: Rational Drug Selection Answer Section**

#### **MULTIPLE CHOICE**

1.	ANS:	В	PTS:	1
2.	ANS:	В	PTS:	1
3.	ANS:	C	PTS:	1
4.	ANS:	C	PTS:	1
5.	ANS:	В	PTS:	1
6.	ANS:	D	PTS:	1
7.	ANS:	В	PTS:	1
8.	ANS:	В	PTS:	1
9.	ANS:	D	PTS:	1
10.	ANS:	C	PTS:	1
11.	ANS:	A	PTS:	1