Full Download: http://downloadlink.org/product/solutions-manual-for-essentials-of-business-statistics-communicating-with-number Chapter 02 - Tabular and Graphical Methods

Chapter 2 Tabular and Graphical Methods Solutions

1.

a.

| Rating | Frequency | Relative Frequency | |
|--------|----------------|--------------------|--|
| 5 | 12 | 12/36 = 0.333 | |
| 4 | 9 9/36 = 0.250 | | |
| 3 | 7 7/36 = 0.194 | | |
| 2 | 5 5/36 = 0.139 | | |
| 1 | 3 3/36 = 0.083 | | |
| Total | 36 0.999 | | |

b. More than a third of the patrons are very satisfied with the entrees. Overall more than half of the customers gave a top rating of either 4 or 5. Only 8.3% gave the lowest rating.

2.

a.

| Rating | Frequency | Relative Frequency | |
|---------------------|-----------|--------------------|--|
| Excellent 5 5/2 | | 5/24 = 0.208 | |
| Good 12 12/24 = 0 | | 12/24 = 0.500 | |
| Fair 4 4/24 = 0.167 | | 4/24 = 0.167 | |
| Poor | 3 | 3/24 = 0.125 | |
| Total | 24 | 1 | |

b. The most common response is Good which comprises 50% of total responses. More than 70% of the patients reveal that they are in good or excellent health conditions.


3.


a.

| Expectation | Frequency | Relative Frequency | |
|-------------|---------------------|--------------------|--|
| Better | ter 5 5/25 = 0.20 | | |
| Same | 16 | 16/25 = 0.64 | |
| Worse | /orse 4 4/25 = 0.16 | | |
| Total | 25 | 1 | |

Most of the chief executives (64%) believed that the economy would be the same in the next 12 months.

b.






4.


a.

| Delays | Frequency | Relative Frequency |
|----------------|-----------|--------------------|
| PM Delays | 1 | 1/18 = 0.056 |
| All Day Delays | 6 | 6/18 = 0.333 |
| AM Delays | 4 | 4/18 = 0.222 |
| None | 7 | 7/18 = 0.389 |
| Total | 18 | 1 |

The most common delays were None, comprising 38.9% of all delays. The second most common were All Day Delays, comprising 33.3% of all delays.

b.






5.

a. 22(18+4) out of 50 rookies received a rating of 4 or better; 14(10+4) out of 50 rookies received a rating of 2 or worse.

| Rating | Relative Frequency |
|--------|--------------------|
| 1 | 4/50 = 0.08 |
| 2 | 10/50 = 0.2 |
| 3 | 14/50 = 0.28 |
| 4 | 18/50 = 0.36 |
| 5 | 4/50 = 0.08 |
| Total | 1 |

8% of the rookies received a rating of 5.

c.




6.

a.

| Response | Frequency | |
|------------------|------------------|--|
| Good Jobs | 0.37×5324 = 1970 | |
| Affordable homes | 0.15×5324 = 799 | |
| Top schools | 0.11×5324 = 586 | |
| Low crimes | 0.23×5324 = 1225 | |
| Things to do | 0.14×5324 = 745 | |
| Total | 5324 | |

1225 respondents considered 'Low crimes' as the most important criterion.




7.

a.

| Top Vacation Choice | Relative Frequency | |
|---------------------|--------------------|--|
| Cruises | 140/316 = 0.443 | |
| Beaches | 68/316 = 0.215 | |
| Amusement Parks | 68/316 = 0.215 | |
| Big Cities | 20/316 = 0.063 | |
| Lakes | 12/316 = 0.038 | |
| Summer Camp | 8/316 = 0.025 | |
| Total | ≈1 | |

44.3% of the children cited 'Cruises' as the perfect summer trip.




8.

a.


| Car-Rental Company | Relative Frequency | |
|--------------------|--------------------|--|
| Enterprise | 10.7/21.9 = 0.489 | |
| Hertz | 4.7/21.9 = 0.215 | |
| Avis Budget | 4/21.9 = 0.183 | |
| Dollar Thrifty | 1.5/21.9 = 0.068 | |
| Other | 1/21.9 = 0.046 | |
| Total | 1 | |


b. Hertz accounted for 21.5% of sales.

c.



a.






- b. (0.4*829) = 332 respondents believe that a cure for cancer will be found.
- 10.
- a. The number of responses for "Others" is the difference between the total number of responses and the sum of responses in the table. That is, 20825 15241 = 5584.
- b. The proportion of respondents that felt that the Green Bay Packers would win Super Bowl XLV is 1076/20,825 = 0.052.

c.

| Team | Relative Frequency |
|---------|---------------------|
| Falcons | 4040/20,825 = 0.194 |

| Saints | 1880/20,825 = 0.090 |
|----------|---------------------|
| Texans | 1791/20,825 = 0.086 |
| Cowboys | 1631/20,825 = 0.078 |
| Vikings | 1438/20,825 = 0.069 |
| Colts | 1149/20,825 = 0.055 |
| Steelers | 1141/20,825 = 0.055 |
| Patriots | 1095/20,825 = 0.053 |
| Packers | 1076/20,825 = 0.052 |
| Others | 5584/20,825 = 0.268 |
| Total | 20,825/20,825 = 1 |



- a. Since 60% favored Obama and 30% favored Romney in terms of likeability, then 10% favored neither Obama nor Romney.
- b. Of the 500 respondents, $300 \ (=500 \times 0.60)$ favored Obama and $150 \ (=500 \times 0.30)$ favored Romney. So Obama was favored by 150 more respondents.

12.

- a. According to this survey, an athlete in football was most likely to sustain an injury with lifelong consequences. An athlete in martial arts was least likely to sustain an injury with lifelong consequences.
- b. Approximately 79 respondents (=992×0.08) believed that professional hockey players were most likely to sustain an injury with lifelong consequences.
- 13. This graph does not correctly depict what has happened to Caterpillar's stock price over this period. The graph has been given a relatively high value of \$500 on the vertical axis.

This compresses the data so that the increase of the stock price is not as apparent as it should be.

14. This graph does not correctly depict what has happened to sales over the most recent five-year period. The vertical axis has been stretched so that the increase in sales appears more pronounced than warranted.

15.

a.


| Class | Frequency | |
|-------------|------------|--|
| 3 up to 5 | 5 | |
| 5 up to 7 | 5 | |
| 7 up to 9 | 8 | |
| 9 up to 11 | 4 | |
| 11 up to 13 | 5 | |
| 13 up to 15 | 3 | |
| | Total = 30 | |

b.


| | Relative | | Cumulative |
|-------------|-------------|----------------------|--------------------|
| Classes | Frequency | Cumulative Frequency | Relative Frequency |
| 3 up to 5 | 5/30 = 0.17 | 5 | 0.17 |
| 5 up to 7 | 5/30 = 0.17 | 5 + 5 = 10 | 0.17 + 0.17 = 0.34 |
| 7 up to 9 | 8/30 = 0.27 | 5 + 5 + 8 = 18 | 0.34 + 0.27 = 0.61 |
| 9 up to 11 | 4/30 = 0.13 | 5 + 5 + 8 + 4 = 22 | 0.61 + 0.13 = 0.74 |
| 11 up to 13 | 5/30 = 0.17 | 5+5+8+4+5=27 | 0.74 + 0.17 = 0.91 |
| 13 up to 15 | 3/30 = 0.10 | 5+5+8+4+5+3=30 | 0.91 + 0.10 ≈ 1 |
| | Total = 1 | | |

- c. 8 observations are at least 7 but less than 9; 18 observations are less than 9.
- d. 27% of the observations are at least 7 but less than 9; 61% are less than 9.

e.



f.



16.

a.


| Classes | Frequency | |
|-------------|------------|--|
| -10 up to 0 | 9 | |
| 0 up to 10 | 31 | |
| 10 up to 20 | 19 | |
| 20 up to 30 | 8 | |
| 30 up to 40 | 3 | |
| | Total = 70 | |

19 observations are at least 10 but less than 20.

| Classes | Relative Frequency | Cumulative Relative Frequency |
|-------------|--------------------|---|
| -10 up to 0 | 9/70 = 0.129 | 0.129 |
| 0 up to 10 | 31/70 = 0.443 | 0.129 + 0.443 = 0.572 |
| 10 up to 20 | 19/70 = 0.271 | 0.129 + 0.443 + 0.271 = 0.843 |
| 20 up to 30 | 8/70 = 0.114 | 0.129 + 0.443 + 0.271 + 0.114 = 0.957 |
| 30 up to 40 | 3/70 = 0.043 | 0.129 + 0.443 + 0.271 + 0.114 + 0.043 = 1 |
| | Total ≈ 1 | |

27.1% of the observations are at least 10 but less than 20; 84.3% are less than 20.

c.




The distribution is not symmetric. It is positively skewed.

17.

a.

| Class | Relative Frequency | |
|-------------|--------------------|--|
| 10 up to 20 | 12/56 = 0.214 | |
| 20 up to 30 | 15/56 = 0.268 | |
| 30 up to 40 | 25/56 = 0.446 | |
| 40 up to 50 | 4/56 = 0.071 | |
| | Total ≈ 1 | |

Chapter 02 - Tabular and Graphical Methods



| Class | Cumulative Frequency | Cumulative Relative Frequency |
|-------------|-----------------------|----------------------------------|
| 10 up to 20 | 12 | 12/56 = 0.214 |
| 20 up to 30 | 12 + 15 = 27 | 27/56 = 0.482 |
| 30 up to 40 | 12 + 15 + 25 = 52 | 52/56 = 0.928 |
| 40 up to 50 | 12 + 15 + 25 + 4 = 56 | 56/56 = 1 |

c. 44.6% of the observations are at least 30 but less than 40; 92.8% are less than 40.

18.

a.


| Class | Relative Frequency | |
|-----------------|--------------------|--|
| 1000 up to 1100 | 2/16 = 0.125 | |
| 1100 up to 1200 | 7/16 = 0.4375 | |
| 1200 up to 1300 | 3/16 = 0.1875 | |
| 1300 up to 1400 | 4/16 = 0.25 | |
| | Total = 1 | |

43.75% of the observations are at least 1100 but less than 1200.

| Class | Cumulative Frequency | Cumulative Relative Frequency |
|-----------------|-------------------------|----------------------------------|
| 1000 up to 1100 | 2 | 2/16 = 0.125 |
| 1100 up to 1200 | 2 + 7 = 9 | 9/16 = 0.562 |
| 1200 up to 1300 | 2 + 7 + 3 = 12 | 12/16 = 0.75 |
| 1300 up to 1400 | 2 + 7 + 3 + 4 = 16 | 16/16 = 1 |

12 of the observations are less than 1300.

c.




19.

a.

| Class | Frequency | |
|-------------|----------------|--|
| 15 up to 25 | 30 | |
| 25 up to 35 | 50 - 30 = 20 | |
| 35 up to 45 | 120 - 50 = 70 | |
| 45 up to 55 | 130 - 120 = 10 | |

70 observations are at least 35 but less than 45.



c. 120/130 = 0.923, so 92.3% of the observations are less than 45.

20.

a.

| Class | Frequency | |
|---------------|--------------|--|
| -20 up to -10 | 0.04×50 = 2 | |
| -10 up to 0 | 0.28×50 = 14 | |
| 0 up to 10 | 0.26×50 = 13 | |
| 10 up to 20 | 0.22×50 = 11 | |
| 20 up to 30 | 0.20×50 = 10 | |
| | Total = 50 | |


14 observations are at least -10 but less than 0.

b.

| Class | Cumulative Frequency | |
|---------------|----------------------|--|
| -20 up to -10 | 2 | |
| -10 up to 0 | 2 + 14 = 16 | |
| 0 up to 10 | 16 + 13 = 29 | |
| 10 up to 20 | 29 + 11 = 40 | |
| 20 up to 30 | 40 + 10 = 50 | |

40 observations are less than 20.

c.




a.

| Class | Relative Frequency | |
|---------------|--------------------|--|
| 150 up to 200 | 0.1 | |
| 200 up to 250 | 0.35 - 0.10 = 0.25 | |
| 250 up to 300 | 0.70 - 0.35 = 0.35 | |
| 300 up to 350 | 1 - 0.70 = 0.30 | |
| | Total = 1 | |

35% of the observations are at least 250 but less than 300.

b.



a.


| Assets (in billions) | Frequency | |
|----------------------|------------|--|
| 40 up to 70 | 9 | |
| 70 up to 100 | 8 | |
| 100 up to 130 | 2 | |
| 130 up to 160 | 0 | |
| 160 up to 190 | 1 | |
| | Total = 20 | |

b.

| | Relative | Cumulative | Cumulative |
|----------------------|-------------|-------------|--------------------|
| Assets (in billions) | Frequency | Frequency | Relative Frequency |
| 40 up to 70 | 9/20 = 0.45 | 9 | 9/20 = 0.45 |
| 70 up to 100 | 8/20 = 0.40 | 9 + 8 = 17 | 17/20 = 0.85 |
| 100 up to 130 | 2/20 = 0.10 | 17 + 2 = 19 | 19/20 = 0.95 |
| 130 up to 160 | 0/20 = 0 | 19 + 0 = 19 | 19/20 = 0.95 |
| 160 up to 190 | 1/20 = 0.05 | 19 + 1 = 20 | 20/20 = 1 |

- c. Two funds had assets of at least 100 but less than 130 (in \$ billions); 19 funds had assets less than \$160 billion.
- d. 40% of the funds had assets of at least \$70 but less than \$100 (in billions); 95% of the funds had assets less than \$130 billion.

e.



The distribution is positively skewed.

Note: The histogram could have also been made with relative frequencies. It would have had the same positive skewness.

23.

a.


| Texts | Frequency |
|----------------|------------|
| 500 up to 600 | 4 |
| 600 up to 700 | 7 |
| 700 up to 800 | 5 |
| 800 up to 900 | 4 |
| 900 up to 1000 | 5 |
| | Total = 25 |

b.

| | Relative | Cumulative | Cumulative |
|----------------|-------------|-------------|--------------------|
| Texts | Frequency | Frequency | Relative Frequency |
| 500 up to 600 | 4/25 = 0.16 | 4 | 4/25 = 0.16 |
| 600 up to 700 | 7/25 = 0.28 | 4 + 7 = 11 | 11/25 = 0.44 |
| 700 up to 800 | 5/25 = 0.20 | 11 + 5 = 16 | 16/25 = 0.64 |
| 800 up to 900 | 4/25 = 0.16 | 16 + 4 = 20 | 20/25 = 0.80 |
| 900 up to 1000 | 5/25 = 0.20 | 20 + 5 = 25 | 25/25 = 1 |
| Total | 1 | | |

- c. 7 teens sent at least 600 but less than 700 texts; 16 sent less than 800 texts.
- d. 16% of the teens sent at least 500 but less than 600 texts; 44% of them sent less than 700 texts.

e.



The distribution is not symmetric; it is slightly positively skewed.

24.

a.


| Temperature | Frequency |
|--------------|------------|
| 60 up to 70 | 2 |
| 70 up to 80 | 7 |
| 80 up to 90 | 14 |
| 90 up to 100 | 10 |
| | Total = 33 |

b.

| Temperature | Relative Frequency | Cumulative Frequency | Cumulative Relative Frequency |
|--------------|-----------------------|-------------------------|----------------------------------|
| 60 up to 70 | 2/33 = 0.061 | 2 | 2/33 = 0.061 |
| 70 up to 80 | 7/33 = 0.212 | 2 + 7 = 9 | 9/33 = 0.273 |
| 80 up to 90 | 14/33 = 0.424 | 9 + 14 = 23 | 23/33 = 0.697 |
| 90 up to 100 | 10/33 = 0.303 | 23 + 10 = 33 | 33/33 = 1 |
| | Total = 1 | | |

- c. 9 cities had temperatures less than 80°.
- d. 42.4% of the cities recorded temperatures of at least 80° but less than 90° ; 69.7% of the cities had temperatures less than 90° .

e.



The distribution is slightly negatively skewed.


25.

a.

| | Relative Cumulative | | Cumulative | |
|------------------|---------------------|--------------|--------------------|--|
| Vacancy Rate (%) | Frequency | Frequency | Relative Frequency | |
| 0 up to 3 | 5/5 = 0.10 | 5 | 0.1 | |
| 3 up to 6 | 10/50 = 0.20 | 5 + 10 = 15 | 0.10 + 0.20 = 0.30 | |
| 6 up to 9 | 20/50 = 0.40 | 15 + 20 = 35 | 0.30 + 0.40 = 0.70 | |
| 9 up to 12 | 10/50 = 0.20 | 35 + 10 = 45 | 0.70 + 0.20 = 0.90 | |
| 12 up to 15 | 5/50 = 0.10 | 45 + 5 = 50 | 0.90 + 0.10 = 1 | |
| | Total = 1 | | | |

b. 45 cities had a vacancy rate of less than 12%; 40% of the cities had a vacancy rate of at least 6% but less than 9%; 70% of the cities had a vacancy rate of less than 9%.

c.




The distribution is symmetric.

a.

| Age | Frequency | Cumulative Frequency | Cumulative Relative Frequency |
|-------------|------------------|-------------------------|----------------------------------|
| 15 up to 20 | 0.10(2000) = 200 | 200 | 0.1 |
| 20 up to 25 | 0.25(2000) = 500 | 200 + 500 = 700 | 0.10 + 0.25 = 0.35 |
| 25 up to 30 | 0.28(2000) = 560 | 700 + 560 = 1260 | 0.35 + 0.28 = 0.63 |
| 30 up to 35 | 0.24(2000) = 480 | 1260 + 480 = 1740 | 0.63 + 0.24 = 0.87 |
| 35 up to 40 | 0.11(2000) = 220 | 1740 + 220 = 1960 | 0.87 + 0.11 = 0.98 |
| 40 up to 45 | 0.02(2000) = 40 | 1960 + 40 = 2000 | 0.98 + 0.02 = 1 |
| | Total = 2000 | | |

b. 28% of the women were at least 25 but less than 30 years old; 87% were less than 35 years old.


c.



The distribution appears to be relatively symmetric with possibly a slight positive skew.

d.

Chapter 02 - Tabular and Graphical Methods



If we draw a horizontal line that corresponds to the 0.5 value on the vertical axis, it will intersect the ogive at the age of approximately 28 years old.


27.

a.

| Age | Frequency | Relative Frequency | Cumulative Relative Frequency |
|-------------|--------------|--------------------|-------------------------------|
| 18 up to 22 | 45 | 45/100 = 0.45 | 0.45 |
| 22 up to 26 | 70 – 45 = 25 | 25/100 = 0.25 | 0.45 + 0.25 = 0.70 |
| 26 up to 30 | 85 – 70 = 15 | 15/100 = 0.15 | 0.70 + 0.15 = 0.85 |
| 30 up to 34 | 96 – 85 = 11 | 11/100 = 0.11 | 0.85 + 0.11 = 0.96 |
| 34 up to 38 | 100 – 96 = 4 | 4/100 = 0.04 | 0.96 + 0.04 = 1 |
| | Total = 100 | Total = 1 | |

b. Fifteen guests were at least 26 but less than 30 years old; 25% of the guests were at least 22 but less than 26 years old; 96% of the guests were younger than 34 years old; 4% were 34 years or older.

c.



The histogram shows a positively skewed data set reflecting the relatively young age of the nightclub's guests.

28.

- a. No. The distribution is not symmetric. It is positively skewed.
- b. Forty-four percent of the states had median household income between \$45,000 and \$55,000.
- c. Sixty-six percent of the states had median household income between \$35,000 and \$55,000.

29.

- a. Draw a vertical line through Income of 50. It intercepts with the ogive at the point of about 0.5. Thus, about 50% of the states had median household income less than \$50,000.
- b. Draw a vertical line through Income of 60. It intercepts with the ogive at the point of about 0.85. Thus, about 85% of the states had median household income less than \$60,000. It is equivalent that about 15% of the states had median household of more than \$60,000.

30.

- a. No. The distribution is not symmetric. It is positively skewed.
- b. The minimum monthly stock price is approximately \$50 and the maximum stock price is approximately \$450.
- c. The \$150 \$250 class has the highest relative frequency, which is about 0.3.

- 31.
- a. No. The distribution is not symmetric. It is positively skewed.
- b. Three (0.10×30) NBA players earned between \$20,000,000 and \$24,000,000.
- c. About 26 (0.43×30+0.43×30=25.8) NBA players earned between \$12,000,000 and \$20,000,000.
- 32.
- a. Draw a vertical line through Salary of 18. It intercepts with the ogive at the point of about 0.65. Thus, about 65% of the salaries were less than \$18,000,000.
- b. Draw a vertical line through Salary of 14. It intercepts the ogive at the point of about 0.25. Thus, about 25% of the salaries were less than \$14,000,000. It is equivalent that about 75% of the salaries were more than \$14,000,000.
- 33.

a.

| SAT Scores | Frequency |
|------------|------------|
| 450 - 500 | 6 |
| 501 - 550 | 24 |
| 551 - 600 | 15 |
| 601 - 650 | 5 |
| | Total = 50 |

Fifteen states had scores between 551 and 600.

b.

| | Relative | Cumulative | Cumulative |
|------------|--------------|--------------|--------------------|
| SAT Scores | Frequency | Frequency | Relative Frequency |
| 450 - 500 | 6/50 = 0.12 | 6 | 6/50 = 0.12 |
| 501 - 550 | 24/50 = 0.48 | 6 + 24 = 30 | 30/50 = 0.60 |
| 551 - 600 | 15/50 = 0.30 | 30 + 15 = 45 | 45/50 = 0.90 |
| 601 - 650 | 5/50 = 0.10 | 45 + 5 = 50 | 50/50 = 1 |
| | Total = 1 | | |


c. 30 states had scores of 550 or less.

d. 30% of the states had scores between 551 and 600; 60% of the states had scores of 550 or less.

34.

a.


| House Value | Frequency |
|-----------------------|------------|
| 0 up to 100,000 | 2 |
| 100,000 up to 200,000 | 26 |
| 200,000 up to 300,000 | 16 |
| 300,000 up to 400,000 | 4 |
| 400,000 up to 500,000 | 1 |
| 500,000 up to 600,000 | 1 |
| | Total = 50 |



- b. No. The distribution is not symmetric. It is positively skewed.
- c. The class "\$100,000 up to \$200,000" has the highest frequency.
- d. Eight percent (4/50 = 0.08) of the states have median house values between \$300,000 and \$400,000.
- e. Forty-four states (2+16+26=44) have median house values less than \$300,000.


a.

| Price/Gallon | Frequency |
|---------------|------------|
| 3.5 up to 3.7 | 3 |
| 3.7 up to 3.9 | 27 |
| 3.9 up to 4.1 | 14 |
| 4.1 up to 4.3 | 4 |
| 4.3 up to 4.5 | 1 |
| 4.5 up to 4.7 | 1 |
| | Total = 50 |



- b. No. The distribution is not symmetric. It is positively skewed.
- c. The class "\$3.7 up to \$3.9" has the highest frequency.

d.




Draw a vertical line through Price of 3.90. It intercepts the ogive at the point of about 30. Thus, about thirty states had average gas prices of \$3.90 or less, which is about 60% of the states. Consequently, about 40% of the states had average gas prices greater than \$3.90.

36.


a.

| DJIA Price Index | Frequency |
|---------------------|------------|
| 12,250 up to 12,500 | 10 |
| 12,500 up to 12,750 | 11 |
| 12,750 up to 13,000 | 26 |
| 13,000 up to 13,250 | 14 |
| 13,250 up to 13,500 | 1 |
| | Total = 62 |




The DJIA was less than 12,500 on 10 days during this quarter.

b.



The distribution is not symmetric. It is positively skewed.

c.



Draw a vertical line through Index of 13,000. It intercepts the ogive at the point of about 0.80. Thus, approximately 80% of the days the DJIA was less than 13,000.

37.

| Stem | Leaf |
|------|---------|
| 2. | 368 |
| 3. | 0223456 |
| 4. | 0222567 |
| 5. | 455 |

This distribution is symmetric. There are the same number of observations on each end of the data, and the same number of observations in the middle.

38.

| Stem | Leaf |
|------|----------|
| -8 | 75532000 |
| -7 | 9753321 |
| -6 | 554 |
| -5 | 20 |

(Keep in mind that these values are negative.) The distribution is not symmetric; it is positively skewed. Most of the numbers are in the lower stems of -8 and -7.

| Stem | Leaf |
|------|----------|
| 99 | 678 |
| 100 | 45 |
| 101 | 02223556 |
| 102 | 0122345 |

The temperatures ranged from a low of 99.6 to a high of 102.5. The distribution is not symmetric; it has negative skew. The majority of patients recorded a temperature higher than 101.

40.

| Stem | Leaf |
|------|------------------------|
| 7 | 346788 |
| 8 | 0123444478 |
| 9 | 0001122233444445666889 |
| 10 | 6 7 |

Temperatures ranged from a low of 73 to a high of 107. The distribution is not symmetric; it has negative skew. Temperatures in 90s were the most frequent.

41.

| Stem | Leaf |
|------|----------------|
| 6 | 55677 |
| 7 | 00011223335589 |
| 8 | 000112 |

The officers concerns are warranted. The data shows that the majority of cars exceed the 65 miles-per-hour limit.

Spain


| Stem | Leaf |
|------|--------------------|
| 2 | 1112 3344555678999 |
| 3 | 002 |

Netherlands


| Stem | Leaf |
|------|-----------------|
| 2 | 233455566677779 |
| 3 | 03559 |

Spain has a relatively younger team compared to Netherlands. Spain's ages range from 21 to 32, while Netherlands' ages range from 22 to 39. The majority of players in both teams are in their 20s. However, Netherlands has a couple of more players in their 30s than Spain.

43.




There is a negative linear relationship between *x* and *y*. As *x* increases, *y* tends to decrease.




There is no evident relationship between *x* and *y*.

45.




There is a negative relationship between *x* and *y*. As *x* increases, *y* tends to decrease.




There is a positive relationship between number of hours spent studying and grades. As the number of hours spent studying increases, grades tend to increase.

47.




The results support the finding. As a mother's weight gain increases, the newborn's birth weight tends to increase as well.



There is a slightly negative relationship between the two assets. Therefore, it would be wise for the investor to include them in her portfolio.

49.




There is a positive relationship. The realtor can conclude that generally, with higher home prices, the number of days to sell the home will tend to be higher as well.

a.

| | Utah | Kentucky |
|-----------|--------------------|--------------------|
| Responses | Relative Frequency | Relative Frequency |
| Yes | 2/20 = 0.10 | 9/20 = 0.45 |
| No | 18/20 = 0.90 | 11/20 = 0.55 |
| | Total = 1 | Total = 1 |

The sample responses show the difference regarding smoking behavior in the two states. Notice that 45% of the households in Kentucky allow smoking at home whereas only 10% do so in Utah.

b.



The bar chart shows that smoking at home is much more common in Kentucky than in Utah.


51.

a.

| Rating | Frequency | Relative Frequency |
|-----------------|------------|--------------------|
| Outstanding | 0 | 0/28 = 0 |
| Good | 8 | 8/28 = 0.286 |
| Ok | 7 | 7/28 = 0.250 |
| Please Get Help | 13 | 13/28 = 0.464 |
| | Total = 28 | Total = 1 |

From the relative frequency distribution, we can conclude that the majority of the evaluations were either "OK" or "Please Get Help". Notice that none of the responses included "Outstanding". Therefore, it is necessary for the owner of the restaurant to improve the service and/or experience provided.

b.




The pie chart which depicts categorical data in percentage values demonstrates the poor evaluations received.




The bar chart is another way to depict categorical data effectively. We notice that the highest bar corresponds to the last category "Please Get Help", and that there are no responses given for "Outstanding."

52.

a.





The charts reveal parent preferences. Sixty-five percent of parents want their children to have a profession such as a doctor, lawyer, banker or president. Less preferable are other professions such humanitarian-aid worker or a movie star.

b. Since 9% of parents want their children to become an athlete, we find $550\times0.09\approx50$. Therefore, among 550 parents approximately 50 parents want their kids to become an athlete.

53.

a.

| Classes | Frequency |
|---------------|------------|
| -20 up to -10 | 4 |
| -10 up to 0 | 7 |
| 0 up 10 | 9 |
| 10 up 20 | 3 |
| 20 up to 30 | 1 |
| | Total = 24 |

b.

| Classes (in %) | Relative Frequency | Cumulative Frequency | Cumulative Relative Frequency |
|----------------|-----------------------|-------------------------|----------------------------------|
| -20 up to -10 | 4/24 = 0.167 | 4 | 4/24 = 0.167 |
| -10 up to 0 | 4/24 = 0.292 | 4 + 7 = 11 | 11/24 = 0.458 |
| 0 up 10 | 9/24 = 0.375 | 11 + 9 = 20 | 20/24 = 0.833 |
| 10 up 20 | 3/24 = 0.125 | 20 + 3 = 23 | 23/24 = 0.958 |
| 20 up to 30 | 1/24 = 0.042 | 23 + 1 = 24 | 24/24 = 1 |
| | Total ≈ 1 | | |


- c. Nine funds had returns of at least 0% but less than 10%; there were 4 funds with returns of 10% or more.
- d. 12.5% of the funds had a return of at least 10% but not greater than 20%; 95.8% of the funds had returns less than 20%.


a.

| Region | Relative Frequency |
|-----------|-----------------------|
| Northeast | 6,166/37,276 = 0.165 |
| Midwest | 7,237/37,276 = 0.194 |
| South | 15,501/37,276 = 0.416 |
| West | 8,372/37,276 = 0.225 |
| | Total = 1 |

19.4% of people living below the poverty level live in the Midwest region.

b.






These charts show that the highest percentage of people who live below the poverty level live in the South, and the lowest percentage live in the Northeast.

a.

| Resolution | Relative Frequency | |
|---------------------------|--------------------|--|
| Saving more | 328/1026 = 0.320 | |
| Paying down debt | 257/1026 = 0.250 | |
| Making more income | 154/1026 = 0.150 | |
| Spending less | 133/1026 = 0.130 | |
| Investing more | 103/1026 = 0.100 | |
| Saving for large purchase | 41/1026 = 0.040 | |
| Don't know | 10/1026 = 0.010 | |
| | Total = 1 | |

25% of the respondents said paying down debt was their top financial resolution.

b.



The bar chart shows that "Saving more" is the top financial resolution, followed by "Paying down debt". Only a small portion of the respondents didn't know their financial resolution.


56.

a.

| Response | Frequency | |
|---------------------|-------------------|--|
| A few days | 0.21(3057) = 642 | |
| A few long weekends | 0.18(3057) = 550 | |
| One week | 0.36(3057) = 1101 | |
| Two weeks | 0.25(3057) = 764 | |
| | Total = 3057 | |


Approximately 1101 people are going to take a one week vacation.

b.



57.

a.



Notice that the most frequent responses were regards to paying off debts or putting it in the bank.

b. Since 11% of 1026 respondents said they would spend the refund, we find $0.11(1026) \approx 113$. Therefore, approximately 113 of the respondents would spend the tax refund.


58.

a.

| Drug | Relative Frequency |
|----------|-----------------------|
| Topomax | 1825.4/5718.4 = 0.319 |
| Lamictal | 1684.3/5718.4 = 0.295 |
| Depakote | 770.4/5718.4 = 0.135 |
| Lyrica | 727.8/5718.4 = 0.127 |
| Keppra | 710.5/5718.4 = 0.124 |
| | Total = 1 |

b. Lamictal accounted for 29.5% of the sales.

c.




a.

| Attendance | Relative Frequency | Cumulative Frequency | Cumulative Relative Frequency |
|-----------------|-----------------------|-------------------------|----------------------------------|
| 1000 up to 1250 | 5/60 = 0.083 | 5 | 0.083 |
| 1250 up to 1500 | 6/60 = 0.100 | 5+6 = 11 | 0.083+0.100 = 0.183 |
| 1500 up to 1750 | 10/60 = 0.167 | 11+10 = 21 | 0.183+0.167 = 0.350 |
| 1750 up to 2000 | 20/60 = 0.333 | 21+20 = 41 | 0.350+0.333 = 0.683 |
| 2000 up to 2250 | 15/60 = 0.250 | 41+15 = 56 | 0.683+0.250 = 0.933 |
| 2250 up to 2500 | 4/60 = 0.067 | 56+4 = 60 | 0.933+0.067 = 1 |
| | Total = 1 | | |

- b. The most likely attendance range is from 1,750 up to 2,000 with a 33% frequency; there were 41 times out of 60 that attendance was less than 2,000.
- c. Attendance was at least 1,750 but less than 2,000 33.3% of the time; Attendance was less than 1,750 people 35% of the time; Therefore, attendance was 1,750 or more 65% of the time.

d.




The distribution is not symmetric; it is negatively skewed.

a.


| Average MPG | Relative frequency | Cumulative Frequency | Cumulative Relative Frequency |
|-------------|-----------------------|-------------------------|----------------------------------|
| 15 up to 20 | 15/80 = 0.1875 | 15 | 0.1875 |
| 20 up to 25 | 30/80 = 0.3750 | 15 + 30 = 45 | 45/80 = 0.5625 |
| 25 up to 30 | 15/80 = 0.1875 | 45 + 15 = 60 | 60/80 = 0.7500 |
| 30 up to 35 | 10/80 = 0.1250 | 60 + 10 = 70 | 70/80 = 0.8750 |
| 35 up to 40 | 7/80 = 0.0875 | 70 + 7 = 77 | 77/80 = 0.9625 |
| 40 up to 45 | 3/80 = 0.0375 | 77 + 3 = 80 | 80/80 = 1 |
| | Total = 1 | | |


b. 60 cars got less than 30 mpg; 37.5% of the cars got at least 20 but less than 25 mpg; 87.5% of the cars got less than 35 mpg; Since 87.5% got less than 35 mpg, 12.5% of the cars got 35 mpg or more.

c.



The distribution is not symmetric; it is positively skewed.





62.

- a. There were 4 people out of 25 with a net worth greater than \$20 billion. Since 4/25 = 0.16, 16% of the wealthiest people had net worth greater than \$20 billion.
- b. Two people had a net worth less than \$10 billion, which is 2/25 = 0.08, or 8%. From the previous question, we know that 16% had a net worth greater than \$20 billion. Therefore, 16% + 8% = 24% *did not* have a net worth between \$10 and \$20 billion. Consequently, 76% had net worth between \$10 billion and \$20 billion.

c.

| Steam | Leaf |
|-------|-----------|
| 3 | 66 |
| 4 | 47 |
| 5 | 3 3 4 6 |
| 6 | 01556779 |
| 7 | 013337899 |

The distribution is not symmetric; it is negatively skewed. The majority of ages range from the 60s to 70s. Table 2.16 shows the majority of ages to be in the 50s and 60s. Further, this diagram shows ages ranging from 36 to 79, whereas Table 2.16 has ages ranging from 36 to 90.


63.

| Steam | Leaf |
|-------|----------------------|
| 0 | 8899 |
| 1 | 00112222334456688999 |
| 2 | 0099 |
| 3 | 07 |


The vast majority of the PEG ratios fall in the 1 range. The diagram represents somewhat positively skewed distribution; there are a few firms with relatively high PEG ratios.

64.

a.



Chapter 02 - Tabular and Graphical Methods





These charts show that the majority (60%) of houses were either Ranch or Colonial, but also 40% were either Contemporary or some other type.

b. To figure out how wide to make the classes, find the highest price and subtract the lowest price to get the range. That is \$568,000 - \$300,000 = \$268,000. Then, since we want 7 classes, divide the range by 7; 268,000/7 = \$38,386. However, for ease of interpretation, round to the most sensible number: \$50,000. Therefore, our classes will have a width of \$50,000, with a lower bound of the first class of \$300,000.


| Classes | Frequency | |
|-----------------------|------------|--|
| 300,000 up to 350,000 | 4 | |
| 350,000 up to 400,000 | 6 | |
| 400,000 up to 450,000 | 4 | |
| 450,000 up to 500,000 | 2 | |
| 500,000 up to 550,000 | 3 | |
| 550,000 up to 600,000 | 1 | |
| | Total = 20 | |

c.






The histogram shows that the most frequent house price is in the \$350,000 up to \$400,000 range. The ogive shows that the middle price (with a frequency of 10/20 or 50%) is about \$400,000.



The scatter plot shows that the relation between Advertising and Sales is positive. The positive trend demonstrates that an increase in advertising will tend to increase sales.

66.



The scatterplot reveals no clear relationship between PPG and MPG.

Case Study 2.1

Proportion of Nike's Net Sales by Region:

| Region | 2000 | 2009 | |
|---------------------|-----------------------|------------------------|--|
| US Region | 4732.1/8588.3 = 0.551 | 6542.9/16661.8 = 0.392 | |
| EMEA Region | 2350.9/8588.3 = 0.274 | 5512.2/16661.8 = 0.331 | |
| Asia Pacific Region | 955.1/8588.3 = 0.111 | 3322/16661.8 = 0.199 | |
| Americas Region | 550.2/8588.3 = 0.064 | 1284.7/16661.8 = 0.077 | |
| | Total = 1 | Total ≈ 1 | |

The proportion of Nike's net sales in U.S. region shows significant decrease, from 55.1% to 39.2%. However, the proportions in other regions increased during the 10 years. Asian Pacific Region had the most significant increase.

Proportion of Adidas' Net Sales by Region (From Table 2.6):

| Region | 2000 | 2009 |
|---------------|-----------|-----------|
| Europe | 0.492 | 0.423 |
| North America | 0.328 | 0.228 |
| Asia | 0.151 | 0.252 |
| Latin America | 0.029 | 0.097 |
| | Total = 1 | Total = 1 |


Both the proportions of Adidas's and Nike's net sales increased in Latin America and Asia Region. Both Adidas and Nike's net sales proportions decreased in North America.


The proportion of Adidas's net sales decreased in Europe Region. The proportion of Nike's net sales increased in Europe Region.

Case Study 2.2

The net profit margin is a firm's net profit after taxes to revenue. It is measured in percentage, showing the percentage of net income per dollar in sales or other operating income.

| | | Relative | Cumulative | Cumulative |
|-------------------|------------|---------------|------------|--------------------|
| Net Profit Margin | Frequency | Frequency | Frequency | Relative Frequency |
| -10% up to -5% | 1 | 1/32 = 0.031 | 1 | 1/32 = 0.031 |
| -5 up to 0 | 6 | 6/32 = 0.188 | 7 | 7/32 = 0.219 |
| 0 up to 5 | 10 | 10/32 = 0.313 | 17 | 17/32 = 0.531 |
| 5 up to 10 | 11 | 11/32 = 0.344 | 28 | 28/32 = 0.875 |
| 10 up to 15 | 2 | 2/32 = 0.063 | 30 | 30/32 = 0.938 |
| 15 up to 20 | 2 | 2/32 = 0.063 | 32 | 32/32 = 1.000 |
| | Total = 32 | Total ≈ 1 | | |






The data tends to cluster between 0% and 10%, as shown in the histogram. The net profit margins range from -5.19% to 19.95%. Approximately 53% of the firms have a net profit margin below 5%.

Full Download: http://downloadlink.org/product/solutions-manual-for-essentials-of-business-statistics-communicating-with-number

Chapter 02 - Tabular and Graphical Methods

Case Study 2.3

| | | Relative | Cumulative | Cumulative |
|-----------------|-----------|------------|------------|--------------------|
| Life Expectancy | Frequency | Frequency | Frequency | Relative Frequency |
| 73.5 up to 75 | 1 | 1/50=0.02 | 1 | 1/50=0.02 |
| 75 up to 76.5 | 7 | 7/50=0.14 | 8 | 8/50=0.16 |
| 76.5 up to 78 | 9 | 9/50=0.18 | 17 | 17/50=0.34 |
| 78 up to 79.5 | 16 | 16/50=0.32 | 33 | 33/50=0.66 |
| 79.5 up to 81 | 16 | 16/50=0.32 | 49 | 49/50=0.98 |
| 81 up to 82.5 | 1 | 1/50=0.02 | 50 | 50/50=1.00 |



The data tends to cluster between 78 and 81, as shown in the histogram. The distribution is negatively skewed.